

# 2018-19 PRODUCT GUIDE

YOUR AUSTRALIAN LOCKOUT / TAGOUT  
MANUFACTURER SINCE 1992

## ■ LOCKOUT EQUIPMENT



**CIRLOCK**

LOCKOUT / TAGOUT EQUIPMENT

CIRLOCK PRODUCTS ARE AVAILABLE  
FROM YOUR LOCAL ELECTRICAL WHOLESALER  
[www.cirlock.com.au](http://www.cirlock.com.au) [sales@cirlock.com.au](mailto:sales@cirlock.com.au)  
T 07 5445 2910

# 02 UNIVERSAL LOCKOUT DEVICES

- Made In Australia since 1992
- Easy to use: Clamp Universal Lockout Device on to the Circuit Breakers toggle in the OFF position using a small screwdriver and the set screw in the device. Place a padlock through hole to prevent access to set screw.

## Universal lockout devices

- Will Lock Out most Types of Miniature Circuit Breakers
- Lock Out 1 - 4 pole Circuit Breakers
- Made from durable plastics
- UCL-3 (Orange) with cup screw, for delicate toggles
- Dimensions: 45x25x10mm wide
- 8 mm padlock hole - max clamping 8 mm



Part No.	Description
UCL-1	MCB Universal Lockout - Single Pack
UCL-1-25P	MCB Universal Lockout - 25 Pack
UCL-1-100P	MCB Universal Lockout - 100 Pack
UCL-1-100B	MCB Universal Lockout - 100 Bulk Pack
UCL-PACK	1 x UCL-1, 1 x UCL-2, 1 x UFL-2, plus free screwdriver

## UCL-1



## Universal lockout devices

- UCL-1 (above) with a Cup Screw for Miniature Circuit Breakers with delicate toggles



Part No.	Description
UCL-3	MCB Universal Lockout (CUP SCREW) - Single Pack
UCL-3-25P	MCB Universal Lockout (CUP SCREW) - 25 Pack
UCL-3-100P	MCB Universal Lockout (CUP SCREW) - 100 Pack
UCL-3-100B	MCB Universal Lockout (CUP SCREW) - 100 Bulk Pack

## UCL-3



## Compact Lockout for Miniature Circuit Breakers

- Will Lock Out most Types of Miniature Circuit Breakers
- Lock Out 1 - 4 pole Circuit Breakers
- Made from anodised aluminium
- Dimensions: 25x20x6mm wide
- 7 mm padlock hole - max clamping 8 mm
- Will in most cases not interfere with cover plate, due to its compact size.

Part No.	Description
UCL-4	Miniature CB Universal Lockout - PACK OF 5
UCL-4-25P	UCL-4-25P Miniature CB Universal Lockout - 25 x Indiv. Pack
UCL-4-100P	Miniature CB Universal Lockout - 100 x Indiv. Pack
UCL-4-100B	Miniature CB Universal Lockout - BULK Box of 100

## UCL-4



## Pin In and Out type Miniature Circuit Breaker Lockout

- Will Lock Out most Types of Miniature Circuit Breakers
- Simple to install - with the push of a button NO tools required
- Recommended to lock with lightweight padlock (SLP-150 or SLP-450 range see page 26)

### Part No. Description

<b>UCL-PIN</b>	Miniature Circuit Breaker Lockout - Pin In Type (18mm wide modules)
<b>UCL-PO</b>	Miniature Circuit Breaker Lockout - Pin Out Type (18mm wide modules)
<b>UCL-POW</b>	Miniature Circuit Breaker - Pin Out Wide Type (27mm wide modules)
<b>UCL-P-SET</b>	Set of the above 3 (1 x UCL-PIN, 1 x UCL-PO, 1 x UCL-POW)

## UCL-PIN, UCL-PO, UCL-POW

### PIN - OUT WIDE (UCL-POW) Blue



### PIN - IN (UCL-PIN) Green



### PIN - OUT (UCL-PO) Yellow



## Lockout for Moulded Case Circuit Breakers

- Will Lock Out most Types of Moulded Case Circuit Breakers
- Lock Out 1 - 4 pole Circuit Breakers
- Made from durable plastics
- Dimensions: 51x25x23mm wide
- 8 mm padlock hole - max clamping 13 mm

### Part No. Description

<b>UCL-2</b>	Moulded Case CB Universal Lockout - Single Pack
<b>UCL-2-25P</b>	Moulded Case CB Universal Lockout - 25 x Indiv. Pack
<b>UCL-2-100P</b>	Moulded Case CB Universal Lockout - 100 x Indiv. Pack
<b>UCL-2-100B</b>	Moulded Case CB Universal Lockout - BULK Box of 100



## UCL-2



## Lockout for RCD / Circuit Breakers with Short Toggle

- Made to Lock Out some Brands of EL CB's with a short toggle
- Will only Lock Out CB's with SHORT Toggle.
- Made from durable plastics
- Dimensions: 51x20x23mm wide
- 8 mm padlock hole - max clamping 11 mm

### Part No. Description

<b>UCL-2-EL</b>	Short Toggle CB Lockout - Single Pack
<b>UCL-2-EL-25P</b>	Short Toggle CB Lockout - 25 x Indiv. Packed

NOTE: UCL-2-EL cannot be used on earlier Type SAFE-T DRCB E/L C/B with longer toggle.



## UCL-2-EL



## Lockout for MCB's - NO TOOL

- Suitable for most Miniature Circuit Breakers
- Made from durable plastics
- 7 mm padlock hole - max clamping 8 mm
- Accepts padlocks vertically (White padlock in photo) OR horizontally (Red padlock in photo)

### Part No. Description

<b>UCL-7</b>	Lockout for MCB's - NO TOOL - Pack of 2
<b>UCL-7-25P</b>	Lockout for MCB's - NO TOOL - Pack of 25
<b>UCL-7-100B</b>	Lockout for MCB's - NO TOOL - Pack of 100 Bulk

## UCL-7





# 04 UNIVERSAL LOCKOUT DEVICES

## Lockout Device for Large Circuit Breakers

- Will Lock Out most Types of Large Circuit Breakers with a Toggle
- Lock Out 1 - 4 pole Circuit Breakers
- Made from durable plastics
- Dimensions: 125x63x40mm wide
- 8 mm padlock hole - clamping toggle 12 to 19 mm



Part No.	Description
<b>UCL-5</b>	Large CB Lockout - Single Pack
<b>UCL-5-10P</b>	Large CB Lockout - 10 x Indiv. Pack
<b>UCL-5-100B</b>	Large CB Lockout - Bulk pack of 100

### UCL-5



## Universal lockout devices for Fuse Holders

- Will Lock Out most Types of Fuse Holders - One size fits all
- Lock out 20 Amp to 400 Amp Fuse Holders
- Made from sturdy Nylon Plastics
- Dimensions: 60x35x15 mm wide
- 8mm padlock hole - max clamping 5mm
- One size fits most fuse holders



Part No.	Description
<b>UFL-2</b>	Universal Fuse Holder Lockout - Single Pack
<b>UFL-2-25P</b>	Universal Fuse Holder Lockout - Pack of 25
<b>UFL-2-100B</b>	Universal Fuse Holder Lockout - Bulk pack of 100

### UFL-2




## Lockout for Fuse Holders and Neozed fuses

- Will Lock Out most Types of Cylinder Fuse type cartridge Fuse Carriers
- Made from sturdy Nylon Plastics
- Dimensions: 60 x 35 x 15mm wide
- 8mm padlock hole - max clamping 5mm
- One size fits most fuse carriers



Part No.	Description
<b>UFL-2a</b>	Lockout for Cartridge Fuses
<b>UFL-NZ</b>	Lockout for Cartridge Fuse Carriers

### UFL-2A



## Lockout for Neozed fuses

- Made from sturdy PVC
- Dimensions 60 x 25mm
- 7mm padlock hole
- Will prevent insertion of fuse in NZ01 and NZ02 fuses



Part No.	Description
<b>UFL-NZ</b>	Lockout for Cartridge Fuse Carriers - Single Pack
<b>UFL-NZ-100B</b>	Lockout for Cartridge Fuse Carriers - 100 Bulk pack

### UFL-NZ



## Complete Lockout for Circuit Breaker - Permanently Mounted

- Ideal for situations where lockout of individual breakers is required.
- Moulded from Re-Inforced Nylon
- Fitted to Circuit Breaker Cover
- See also page 41 for other types

### Part No.

### Description

**SPLD-MCB-GREY  
OR YELLOW**

Lockout Device for Miniature Circuit Breakers 18 x 45mm DIN C/B's - includes 2 arms use best fitting one. Grey or Yellow

**SPLD-LCB-GREY  
OR YELLOW**

Lockout Device for Moulded Case Circuit Breakers - includes 3 arms use best fitting one. Grey or Yellow



## SPLD-MCB & SPLD-LCB



## Circuit Breaker Lockout

- Permanently mounted to eschuteon plate
- Suitable for most large circuit breakers (universal type)
- Made from strong ABS plastics
- Includes 5mm spacer disc - arm length 126mm
- Suitable for padlocks with up to 6.5mm shackle diameter

### Part No.

### Description

**CBL-1**

Large Circuit Breaker Lockout

## CBL-1



## Circuit Breaker Toggle Lockout

- Suitable for Schneider and Merlin Gerin Moulded Case CB's
- Large Side for NS80, NSX100-250, NSE75-100, NSF150-250
- Small side for NS/NSX400-630, NSJ 400-600
- Made from powdercoated mild steel
- 3 padlock holes suitable for padlocks with up to 6.5mm shackle diameter

### Part No.

### Description

**CBL-3**

Circuit Breaker Toggle Lockout

## CBL-3



Visit our website for more information [www.cirlock.com.au](http://www.cirlock.com.au) or just give us a call if you have questions - 07 5445 2910

## 06 LOCKOUT HASPS

### Stainless Steel - with red coating

- Slimline Jaws - 5mm
- 6 padlock holes up to 8mm shackle diameter
- Made from 304 Stainless Steel
- Steel Thickness 2mm
- Jaw Size 30mm

Part No.	Description
----------	-------------

<b>SLH-30</b>	Lockout Hasp Stainless Steel - Red Coating - Single Pack
<b>SLH-30-25P</b>	Lockout Hasp Stainless Steel - Red Coating - 25 x Indiv. Pack
<b>SLH-30-100B</b>	Lockout Hasp Stainless Steel - Red Coating - 100 Bulk Pack

#### SLH-30



### Stainless Steel - no coating

- Slimline Jaws - 5mm
- 6 padlock holes up to 9mm shackle diameter
- Made from 304 Stainless Steel
- Steel Thickness 2mm
- Jaw Size 30mm

Part No.	Description
----------	-------------

<b>SLH-31</b>	Lockout Hasp Stainless Steel - Single Pack
<b>SLH-31-25P</b>	Lockout Hasp Stainless Steel - 25 x Indiv. Pack
<b>SLH-31-100B</b>	Lockout Hasp Stainless Steel - 100 Bulk Pack

#### SLH-31



### Lockout Hasp - Standard Type

- Plain top jaws (no anti-twist opening protection)
- 6 padlock holes up to 9mm shackle
- Made from plated steel - rust resistant
- Economical and easy to use
- Jaw size 25mm

Part No.	Description
----------	-------------

<b>SLH-42</b>	Lockout Hasp Standard Type - Single Pack
<b>SLH-42-25P</b>	Lockout Hasp Standard Type - 25 x Indiv. Pack
<b>SLH-42-100B</b>	Lockout Hasp Standard Type - 100 Bulk Pack

#### SLH-42



### Lockout Hasp - Standard Type (large jaws)

- Plain top jaws (no anti-twist opening protection)
- 6 padlock holes up to 9mm shackle
- Made from plated steel - rust resistant
- Economical and easy to use
- Jaw size 38mm

Part No.	Description
----------	-------------

<b>SLH-44</b>	Lockout Hasp Standard Type - Single Pack
<b>SLH-44-25P</b>	Lockout Hasp Standard Type - 25 x Indiv. Pack
<b>SLH-44-100B</b>	Lockout Hasp Standard Type - 100 Bulk Pack

#### SLH-44



## Lockout Hasp - Standard Type (Anti-twist protection)

- With Anti-twist protection inbuilt
- 6 padlock holes up to 9mm shackle
- Made from plated steel - rust resistant
- Economical and easy to use
- Jaw size 28mm

Part No.	Description
SLH-52	Lockout Hasp Standard Type - Pack of 1
SLH-52-25P	Lockout Hasp Standard Type - 25 x Indiv. Pack
SLH-52-100B	Lockout Hasp Standard Type - 100 Bulk Pack

### SLH-52



## Lockout Hasp - High Visibility

- Plain top jaws (no anti-twist opening protection)
- 6 padlock holes up to 9mm shackle
- Made from plated steel - rust resistant
- Economical and easy to use
- Jaw size 25mm

Part No.	Description
SLH-40	Lockout Hasp Standard Type - Pack of 1
SLH-40-25P	Lockout Hasp Standard Type - 25 x Indiv. Pack
SLH-40-100B	Lockout Hasp Standard Type - 100 Bulk Pack

### SLH-40



## Lockout Hasp - Standard Type

- Plain top jaws (no anti-twist opening protection)
- 6 padlock holes up to 9mm shackle
- Made from plated steel - rust resistant
- Economical and easy to use
- Jaw size 38mm

Part No.	Description
SLH-41	Lockout Hasp Standard Type - Single Pack
SLH-41-25P	Lockout Hasp Standard Type - 25 x Indiv. Pack
SLH-41-100B	Lockout Hasp Standard Type - 100 Bulk Pack

### SLH-41



## Lockout Hasp - Stainless Steel 12 Holes

- Plain top jaws (no anti-twist opening protection)
- 12 padlock holes up to 9mm shackle
- Made from stainless steel powdercoated Red
- Jaw size 25mm

Part No.	Description
SLH-12	Lockout Hasp Stainless Steel - Single Pack
SLH-12-25P	Lockout Hasp Stainless Steel - 25 x Indiv. Pack
SLH-12-100B	Lockout Hasp Type - 100 Bulk Pack

### SLH-12



## 08 LOCKOUT HASPS

### Lockout Hasp - Stainless Steel 24 holes

- Plain top jaws (no anti-twist opening protection)
- 24 padlock holes up to 9mm shackle
- Made from stainless steel powdercoated Red
- Jaw size 25mm

Part No.	Description
<b>SLH-24</b>	Lockout Hasp Stainless Steel - Single Pack
<b>SLH-24-25P</b>	Lockout Hasp Stainless Steel - 25 x Indiv. Pack
<b>SLH-24-100B</b>	Lockout Hasp Type - 100 Bulk Pack

#### SLH-24



### Lockout Hasp - All Plastic 'Non-Conductive'

- 6 padlock holes up to 8.5mm shackle
- Made from Heavy Duty Nylon
- Recommended where metal cannot be used
- Highly flexible - non-conductive

Part No.	Description
<b>SLH-70</b>	Lockout Hasp All Plastic - Pack of 1
<b>SLH-70-25P</b>	Lockout Hasp All Plastic - 25 x Indiv. Pack
<b>SLH-70-100B</b>	Lockout Hasp All Plastic - 100 Bulk Pack

#### SLH-70



### Lockout Hasp - Stainless Steel 'Tamper Proof' 6 holes

- 6 padlock holes up to 9mm shackle
- Made from 316 Stainless Steel with a bright, durable nickel plated finish
- Ideal for use in all environments
- Jaw size 25mm

Part No.	Description
<b>SLH-80</b>	Lockout Hasp Stainless Steel - Pack of 1
<b>SLH-80-25P</b>	Lockout Hasp Stainless Steel - 25 x Indiv. Pack

#### SLH-80



### Lockout Hasp - Stainless Steel 'Tamper Proof' 7 holes

- 7 padlock holes up to 9mm shackle
- Made from Stainless Steel Powdercoated Red or Yellow
- Ideal for use in all environments
- Jaw size 25mm

Part No.	Description
<b>SLH-87-RED</b>	Lockout Hasp Stainless Steel - Single Pack
<b>SLH-87-YELLOW</b>	Lockout Hasp Stainless Steel - Single Pack

#### SLH-87





## Lockout Hasp - Aluminium 'Non-Sparking'

- 6 padlock holes up to 8.5mm shackle
- Made from non-sparking Aluminium
- Lightweight
- Jaw size 25mm

### Part No.

### Description

<b>SLH-125</b>	Lockout Hasp Aluminium - Single Pack
<b>SLH-125-25P</b>	Lockout Hasp Aluminium - Pack of 25
<b>SLH-125-100B</b>	Lockout Hasp Aluminium - Bulk Pack of 100

## SLH-125



## Lockout Hasp - Aluminium 'Non-Sparking'

- 6 padlock holes up to 8.5mm shackle
- Made from non-sparking Aluminium
- Lightweight
- Jaw size 38mm

### Part No.

### Description

<b>SLH-138</b>	Lockout Hasp Aluminium - Single Pack
<b>SLH-138-25P</b>	Lockout Hasp Aluminium - Pack of 25
<b>SLH-138-100B</b>	Lockout Hasp Aluminium - Bulk Pack of 100

## SLH-138



## Lockout Hasp - Flexible 'Spark Resistant'

- Will fit in tight spots and where other hasps are not suitable
- 4 padlock holes up to 8.5mm shackle
- Made from chemically resistant plastic and steel wire cable
- Steel cable 5mm diameter - 300mm long - PVC Coated
- Will fit in small holes (5mm and up) and is flexible

### Part No.

### Description

<b>SLH-60</b>	Lockout Hasp Standard Type - Single Pack
<b>SLH-60-25P</b>	Lockout Hasp Standard Type - 25 x Indiv. Pack

## SLH-60



## Multiclip Lockout Hasp

- 12 padlock holes suit padlocks up to 6.5mm shackle
- Made from aluminium (anodised)
- Offset holes prevent locking in the open position
- Ideal for Group Isolation

### Part No.

### Description

<b>SLH-90</b>	Multiclip Lockout Hasp - Pack of 1
<b>SLH-90-25p</b>	Multiclip Lockout Hasp - 25 x Indiv. Pack

## SLH-90



# 10 CABLE LOCKOUT DEVICES

## Multi Function Cable Lockout Device - with steel cable


- Lockout several Points, Gate Valves, Steering Wheels & other equipment
- Plastic Housing with 5mm PVC coated Steel Wire Cable
- Extra Cables available - 2, 6 and 15 metre (other sizes on request)
- Standard 1m Steel Wire Cable included
- 4 padlock holes up to 8.5mm shackles

Part No.	Description
MFL-2	Cable Lockout with 1 metre Steel Cable - Single Pack
MFL-2-2M	Cable Lockout with 2 metre Steel Cable - Single Pack
MFL-2-100B	Cable Lockout with 1 metre Steel Cable - 100 Bulk Pack
MFL-SC1	Extra Steel Cable Only - 1 metre - Single Pack
MFL-SC2	Extra Steel Cable Only - 2 metre - Single Pack
MFL-SC6	Extra Steel Cable Only - 6 metre - Single Pack
MFL-SC15	Extra Steel Cable Only - 15 metre - Single Pack



MFL with long cable shown. 6m and 15m cables supplied with loop in one end for ease of use. Thread cable through item being locked and feed through loop, tighten then feed through red handle piece, close and place padlock.

### MFL-2



## ALL PLASTIC Multifunction Cable Lockout

- Use where metal parts are not wanted eg inside electrical cabinets
- Made from durable plastics with 5mm Cable
- Standard 1m Plastic Cable included
- 4 Padlock Holes up to 8.5mm shackles
- NOT FOR HEAVY DUTY USE

Part No.	Description
MFL-2P	Cable Lockout with 1 metre PLASTIC Cable - Single Pack
MFL-2P-2M	Cable Lockout with 2 metre PLASTIC Cable - Single Pack
MFL-PC1	Additional PLASTIC Cable only - 1 metre
MFL-PC2	Additional PLASTIC Cable only - 2 metre



### MFL-2P



## THIN Multifunction Cable Lockout

- Thin Cable Lockout for devices with small lockout holes
- 3mm PVC Coated Steel Wire Cable - 1 metre or 2 metre
- Made from durable plastics with 3mm cable
- 4 Padlock holes up to 8.5mm shackle
- MAY NOT BE SUITABLE FOR DEVICES WITH 5MM OR LARGER HOLES

Part No.	Description
MFL-3	Thin Cable Lockout with 1m Steel Cable - Single Pack
MFL-3-2M	Thin Cable Lockout with 2m Steel Cable - Single Pack



### MFL-3



## Plug and Hose Lockout Bag

- Heavy Duty Vinyl Bag with Steel Wire closing cord
- 4 Padlock holes up to 8mm diameter shackle
- Available in 3 sizes:
  - 130 x 150mm PLD-1 (suitable for 240v plugs and air hoses)
  - 250 x 450mm PLD-2 (suitable for 3 phase plugs and larger plugs)
  - 700 x 400mm PLD-3 (Extra large bag)
- Simple to use, place cord or hose end in bag, tighten cord around plug/hose with the attached cord clasp. Close cord clasp and place padlock and tag in holes provided.

Part No.	Description
PLD-1	Plug and Hose Lockout Bag - Small 130 x 150mm
PLD-2	Plug and Hose Lockout Bag - Medium 250 x 450mm
PLD-3	Plug and Hose Lockout Bag - Large 700 x 400mm

## PLD-1, 2 and 3



## Plug and Hose Lockout - Small

- Made from spark resistant high impact ABS plastic
- Holds up to 4 padlocks with up to 7mm shackle diameter
- Simple to use
- Suitable for 240v size plugs and air hoses of various sizes
- Internal Measurements: L 81mm x W 42mm x H 81mm

Part No.	Description
PLD-13	Plug and Hose Lockout Device - Small



## PLD-13



## Plug and Hose Lockout - Large

- Made from spark resistant high impact ABS plastic
- Holds up to 4 padlocks with up to 7mm shackle diameter
- Simple to use
- Suitable for 3 phase plugs and air hoses of various sizes
- Internal Measurements: L 155mm x W 85mm x H 88mm
- NOTE: Not suitable for Clipsal 33A plug, use PLD-2

Part No.	Description
PLD-12	Plug and Hose Lockout Device - Large

## PLD-12



# 12 VALVE LOCKOUTS

## Gate Valve Lockout - Adjustable

- Can Lock Out Gate Valves up to 165mm (1" to 6 1/2")
- 4 padlock holes up to 8.5mm shackle
- Made from durable polypropylene
- Covers and rotates freely around the valve handle

Part No.	Description
GVL-1a	Adjustable Gate Valve Lockout - Single Pack

GVL-1a



## Ball Valve Lockout - suits various sizes

- Can Lock Out most Ball Valves 10 - 32mm (3/8" - 1 1/4")
- Will also lock Valve in Open position on most Ball Valves
- Great chemical resistance - made from tough Polypropylene plastic
- Accommodates padlocks up to 6.5mm shackle diameter
- 'One-Piece' design - very easy to use - simply slide on handle and squeeze
- High Visiblity Yellow OR Red colour
- NOTE: BVL-1 will only lock out valves with handles opening anti-clockwise
- Can accomodate handles with a width of maximum 25mm

Part No.	Description
BVL-1-YLW	Ball Valve Lockout - Yellow - Single Pack
BVL-1-RED	Ball Valve Lockout - Red - Single Pack



BVL-1




## Ball Valve Lockout - suits various sizes

- Can Lock Out most Ball Valves 10mm -32mm (3/8" to 1 1/4") Left or Right turning
- Great chemical resistance - made from tough Polyurethane plastic
- Accommodates padlocks up to 7mm shackle diameter
- High Visiblity Red colour
- Can lock in On & Off position

Part No.	Description
BVL-2	Ball Valve Lockout - Single Pack

BVL-2



## Ball Valve Lockout - Large - suits various sizes

- Can Lock Out most Ball Valves 32 - 75mm (1 1/4" - 3") Left or Right turning
- Great chemical resistance - made from tough Polyurethane plastic
- Accommodates padlocks up to 7mm shackle diameter
- High Visiblity Red colour

Part No.	Description
BVL-3	Ball Valve Lockout - Large - Single Pack

BVL-3





## Gate Valve Lockout

- Available in 5 different sizes
- Chemical and heat resistant - made from strong Polyurethane
- Once locked they swivel freely around Gate Valve handle
- Available for handle diameter 50mm (2") to 350mm (14")
- Can be purchased individually or in a pack including one of each size

Part No.	Description
<b>GVL-02</b>	Gate Valve Lockout for handle up to 65mm/2.5" - Pack of 1
<b>GVL-04</b>	Gate Valve Lockout for handle up to 125mm/5" - Pack of 1
<b>GVL-06</b>	Gate Valve Lockout for handle up to 160mm/6.5" - Pack of 1
<b>GVL-08</b>	Gate Valve Lockout for handle up to 250mm/10" - Pack of 1
<b>GVL-10</b>	Gate Valve Lockout for handle up to 350mm/14" - Pack of 1
<b>GVL-SET</b>	SEt of all 5 Gate Valve Lockout Devices

## GVL-2, 4, 6, 8, 10




## Butterfly Valve Lockout

- Lockout Butterfly Valves
- Made from strong Polypropylene plastic
- Highly resistant to solvents and other chemicals
- Will lockout most types/sizes of Butterfly Valves
- High Visibility Red colour - Size: 300mm Long x 100mm wide

Part No.	Description
<b>BFL-1</b>	Universal Butterfly Valve Lockout - Single Pack

## BFL-1




## Universal Valve Lockout with Cable and Arm

- For precise closing / opening of all kinds of valves of various sizes and makes (from 0.2" to 1.1" / 5-28mm)
- Multiple functions with the help of 2m PVC coated steel cable
- Supplied as standard with cable and 1 arm. Extra arm can be purchased on request
- Size of arms: UVL-SML 105mm L x 155mm D, UVL-LGE 165mm L x 180mm D
- Jaw / Clamp size 28mm wide x 12mm high

Part No.	Description
<b>UVL-1-SML</b>	Universal Valve Lockout Device with Small Arm
<b>UVL-1-LGE</b>	Universal Valve Lockout Device with Large Arm

## UVL-1



## Cylinder / Water Valve Lockout

- Lockout most large 'handle free' main water valves by securing with a Cirlock padlock
- Lockout oxy/gas bottles and inhibit use by securing with a Cirlock Padlock
- Prevent access to main water valves

Part No.	Description
<b>CWL-1</b>	Cylinder / Water Valve Lockout

## CWL-1



# 14 GROUP LOCK BOXES

## Group Lock Box - 16 Padlocks

- Can be wall or bench mounted - or portable (Includes carry handle)
- Made from sturdy moulded plastics
- Spark Resistant - Light Weight at only 600gms
- Clear front - keys can be viewed inside.
- Also available with coloured front (Part code GLB-3)
- 6 hooks included inside for large number of keys to hang
- Accommodates up to 16 padlocks with up to 9mm shackle diameter
- Key Slot included for use after box closure
- Available in Red, Yellow and Blue
- Dimensions: 200 x 150 x 90mm excluding carry handle
- Please contact us for optional A4 Permit/Instruction Holder with GLB-2 or see our PCB-1

### Part No. Description

<b>GLB-2-xxx</b>	Group Lock Box with Clear front - Single Pack
<b>GLB-3-xxx</b>	Group Lock Box with Coloured front - Single Pack
<b>xxx = Replace with colour</b>	Available in RED, YELLOW and BLUE



## GLB-2 & GLB-3



## Group Lock Box - 20 padlocks

- Sturdy Aluminium Construction
- Clear Tough Polycarbonate front sliding cover
- Hooks inside for a large quantity of keys to hang
- Suitable for wall mounting - also supplied with Carry Handle
- Dimensions: 300 x 405 x 150mm
- Clear Front - keys can be viewed inside
- Hooks inside for 24 padlocks (padlocks not included)
- Available in Red as standard (other colours available on request)
- Room for procedures in 3 places
  - Inside double layered lid
  - Outside clip on lid
  - At back of box

### Part No. Description

<b>GLB-4</b>	Group Lock Box - 20 padlocks
--------------	------------------------------



## GLB-4



## Group Lock Box - 84 Padlocks

- Sturdy Aluminium Construction
- Clear Tough Polycarbonate front sliding cover
- Procedures can be clipped outside on lid or inside
- Dimensions: 450 x 500 x 160mm
- Clear front - keys can be viewed inside
- Hooks inside for 66 padlocks (padlocks not included)
- Available in Red as standard, other colours available upon request
- Suitable for wall mounting - supplied with convenient carry handle

### Part No. Description

<b>GLB-5</b>	Group Lock Box - 84 Padlocks
--------------	------------------------------



## GLB-5



## Group Lock Box - 13 padlocks (Metal)

- Strong metal construction
- Dimensions: 154 x 255 x 105mm
- Space for 13 Padlocks
- Includes convenient carry handle

Part No.	Description
GLB-6	Group Lock Box 13 padlocks, metal, portable

GLB-6



## Group Lock Box - Slimline - 83 Padlocks

- Made from tough welded aluminium
- External procedure holder
- Can be wall mounted, but also includes carry handle
- Light weight tough Polycarbonate clear lid
- Dimensions: 680mm h x 340mm w x 35mm d



Part No.	Description
GLB-7	Group Lock Box - 83 Padlocks

GLB-7



## Group Lock Box - 29 Padlocks

- Made from tough ABS Plastics
- Clear sliding lid, can view keys inside
- Holes for Wall Mounting
- Standard in High Visibility Yellow
- Dimensions: 330mm w x 280mm h x 90mm d

Part No.	Description
GLB-8	Group Lock Box - 29 Padlocks

GLB-8



## Permit Control Board / Procedure holder

- Size 240mm wide x 500mm high
- Lockout holes for up to 16 padlocks
- Includes clear protective A4 size document holder
- Can be wall mounted
- Dimensions: 330mm w x 280mm h x 90mm d



Part No.	Description
PCB-1	Permit Control Board

PCB-1




# 16 PADLOCKS







## Registered or Non-Registered?

All our padlocks (except the SLP-150 range) can be **Keyed Alike** (1 key can open several locks) and **Master Keyed** (1 Master Key can open several different locks, keyed individually or keyed alike). There are 2 options for Keying Alike - Registered or Non-Registered:

**Registered:** The special keying is done by our locksmith when required. The padlock and key is engraved with a unique number. At a later stage should additional locks or keys be required for the set, simply quote the number on the existing lock or key.

**Non-Registered:** These sets of Keyed Alike locks are more economical than our Registered locks as we get them keyed in bulk at our factory, kept in stock for immediate dispatch. You cannot add extra locks or keys to these sets once purchased. For available Non-Registered lock sets please see page 18.



	SLP-150 SERIES	SLP-438 SE-RIES	SLP-450 SE-RIES	SLP-538 SERIES	SLP-550 SERIES	SLP-750 SE-RIES
Image						
Information	Basic Personal Lockout Padlock (Brass Body with plastic sleeve)	Short Shackle Higher Security Lockout Padlock	Standard Shackle Higher Security Lockout Padlock	NON-CONDUCTIVE Light Duty 5mm Shackle Lockout Padlock	NON-CONDUCTIVE Light Duty 5mm Shackle Lockout Padlock	NON-CONDUCTIVE Heavy Duty 6.25mm shackle Lockout Padlock
Shackle Material	Mild Steel	Stainless Steel	Stainless Steel	Nylon - Non Conductive Non Magnetic Non Sparking	Nylon - Non Conductive Non Magnetic Non Sparking	Nylon - Non Conductive Non Magnetic Non Sparking
Shackle Size	5mm x 50mm	5mm x 38mm	5mm x 50mm	5mm x 38mm	5mm x 50mm	6.25mm x 50mm
Colours available (see over page)	9	8	8	8	8	TBA
Available with engraving and/or company logo?	Can be supplied with a custom label	Yes - Engraving and/or Sticker	Yes - Engraving and/or Sticker	Yes - Engraving and/or Sticker	Yes - Engraving and/or Sticker	Yes - Engraving and/or Sticker
No of keys per lock as standard	1	1	1	1	1	1
Are extra keys available?	Yes maximum of 2 at time of ordering	Yes at time of ordering	Yes at time of ordering	Yes at time of ordering	Yes at time of ordering	Yes at time of ordering
Available Registered?	No	Yes	Yes	Yes	Yes	Yes
Available Keyed Alike?	No	Yes	Yes	Yes	Yes	Yes
Available Master Keyed?	No	Yes	Yes	Yes	Yes	Yes
Dimensions:	A = 16 mm B = 50mm C = 16mm D = 34mm E = 29mm	A = 22 mm B = 38mm C = 19mm D = 38mm E = 45mm	A = 22 mm B = 50mm C = 19mm D = 38mm E = 45mm	A = 22 mm B = 38mm C = 19mm D = 38mm E = 45mm	A = 22 mm B = 50mm C = 19mm D = 38mm E = 45mm	A = mm B = mm C = mm D = mm E = mm



## Safety Lockout Padlocks

Padlocks are Keyed Individually as standard. Keyed Alike and Master Keyed also available (except for in the SLP-150 series).

See bottom of page for available colours.

Sets of Non-Registered Keyed Alike padlocks also available, see over page

### Brass Body with coloured sleeve 50mm shackle (mild steel)

Part No.	Description
SLP-150-XXX	Economy Padlock - Keyed Differently - Single Pack
SLP-150-XXX- 2 KEY	Economy Padlock - Keyed Differently - Single Pack - 2 Keys

### SLP-150 Series



### Nylon Body, 38mm shackle (stainless steel)

Part No.	Description
SLP-438-XXX	Safety Padlock - Keyed Differently - Single Pack
SLP-438-XXX-KA	Safety Padlock - Keyed Alike - Single Pack
SLP-438-XXX-MK	Safety Padlock - Master Keyed - Single Pack

### SLP-438 Series



### Nylon Body 50mm shackle (stainless steel)

Part No.	Description
SLP-450-XXX	Safety Padlock - Keyed Differently - Single Pack
SLP-450-XXX-KA	Safety Padlock - Keyed Alike - Single Pack
SLP-450-XXX-MK	Safety Padlock - Master Keyed - Single Pack

### SLP-450 Series



### Nylon Body, 38mm shackle (Non Conductive)

Part No.	Description
SLP-538-XXX	Safety Padlock - Keyed Differently - Single Pack
SLP-538-XXX-KA	Safety Padlock - Keyed Alike - Single Pack
SLP-538-XXX-MK	Safety Padlock - Master Keyed - Single Pack

### SLP-538 Series



### Nylon Body, 50mm shackle (Non Conductive)

Part No.	Description
SLP-550-XXX	Safety Padlock - Keyed Differently - Single Pack
SLP-550-XXX-KA	Safety Padlock - Keyed Alike - Single Pack
SLP-550-XXX-MK	Safety Padlock - Master Keyed - Single Pack

### SLP-550 Series



XXX - Replace with colour.

RED - Red

ORJ - Orange

BLU - Blue

BLK - Black

PRP - Purple

GRN - Green

YLW - Yellow

WHI - White

SLP-150 Series also available in Pink

# 18 PADLOCKS

## Keyed Alike Padlock Sets

- Sets of 2, 3, 4, 6 or 10 Keyed Alike Padlocks - SLP-450 Series
- Includes 1 key per lock as standard
- Colours available - Red, Yellow, Green, Blue, Orange, Black, White, Purple

PLEASE NOTE: THESE SETS ARE **NON-REGISTERED** AND CANNOT BE EXPANDED (Padlocks cannot be added). XXX = Replace with colour

Part No.	Description
SLP-02KA-XXX	Set of 2 Padlocks Keyed Alike
SLP-03KA-XXX	Set of 3 Padlocks Keyed Alike
SLP-04KA-XXX	Set of 4 Padlocks Keyed Alike
SLP-06KA-XXX	Set of 6 Padlocks Keyed Alike
SLP-10KA-XXX	Set of 10 Padlocks Keyed Alike

## SLP-02-KA to SLP-10-KA



## Tamper Evident Padlocks

- Padlock and Key are numbered for identification
- Supplied with unique perforated keyhole covers which are inserted into lock before snap closing it. Lock can only be opened by undoing the numbered zip tie indicating lock has been tampered with.
- Each lock comes with 3 Zip Tags, additional tags can be purchased
- 2 sizes: Large 50mm body, 30mm x 8mm shackle  
Small 40mm body, 22mm x 6mm shackle

Part No.	Description
SLP-250-30	Tamper Evident Lock - Large 30mm x 8mm shackle
SLP-240-22	Tamper Evident Lock - Small 22mm x 6mm shackle
SLP-ZIP-250-10	Additional Zip Tags for SLP-250 lock (pack of 10)
SLP-ZIP-240-10	Additional Zip Tags for SLP-240 lock (pack of 10)

## SLP-250 Series



## Brass Lockout Padlock

- 30mm brass body with 5mm x 50mm hardend steel shackle
  - Only available as Keyed Differently
  - One key supplied as standard - 2 keys available upon request
- NOTE: Limited lock combinations, duplications may occur when used in large quantities.

Part No.	Description
SLP-120-50	Economy Brass Padlock - Keyed Differently - Single Pack

## SLP-120-50



## Do It Yourself Name Label/Danger Do Not Remove

- Personalise your padlock
- Simple to apply
- Suitable for SLP-120-50 padlocks

Part No.	Description
LABEL	Do It Yourself Name Label - Pack of 10



## LAB-1



## Custom Engraving

Our SLP-438, 450, 538 and 550 range of padlocks can be engraved to suit your needs. Please use form below, or download from our website [www.cirlock.com.au](http://www.cirlock.com.au) (Under Product Support tab on the home page)

Download



### CIRLOCK CUSTOM ENGRAVING ORDER FORM



Return form to fax 07 5445 8612,  
or email [sales@cirlock.com.au](mailto:sales@cirlock.com.au).

Your Name: \_\_\_\_\_

Contact Number: \_\_\_\_\_

#### TEXT REQUIRED:

AREA 1 | | | | | | | | | |

AREA 2 | | | | | | | |  
| | | | | | | |  
| | | | | | | |

AREA 3 | | | | | | | | | |

AREA 4 | | | | | | | | | |

AREA 5 | | | | | | | | | |

AREA 6 | | | | |  
| | | | |



If logo is required please  
submit as a jpeg or pdf file

If no text is required in area 2  
padlocks are supplied with a  
Property Off label in this area.

as at Mar 2017

## Key Cabinet

- Made entirely from tough plastic materials - ABS and HDPE
  - Hooks for 35 keys numbered from 1 to 35
  - Includes 35 key rings and numbered tags
  - Large tray for additional equipment, record books, pens, tags etc
  - Lockable with use of padlock (not included)
  - Metal cabinets also available (code KCB-series).
- Please contact us for information



#### Part No.

#### Description

KCL-35

Key cabinet 35 hooks

KTP-35

Additional set of 35 numbered key tags and rings (1-35)

## KCL-35



# 20 TAGS - DANGER AND WARNING

Cirlock tags are printed in Australia. Most tags are printed on a durable Poly material which is resistant to water and grease, perfect for use outdoors or in dirty environments. Some tags are also available in Cardboard, Heavy Duty PVC or as laminated re-usable tags.

We regularly supply Custom Made Tags to many of our customers - we offer FULL customization, from Logos, phone numbers to photos on tags.

Ordering Custom Tags is a simple process, if you have a layout in mind just email a picture/drawing through OR download the form below from our website [www.cirlock.com.au](http://www.cirlock.com.au). Send your emails to [print@cirlock.com.au](mailto:print@cirlock.com.au) - or give us a call: 1300 889 738

**CUSTOM TAG ORDER FORM**

COMPANY NAME: \_\_\_\_\_ CONTACT NAME: \_\_\_\_\_  
PHONE NUMBER: \_\_\_\_\_ EMAIL: \_\_\_\_\_



**CHOOSE MATERIAL:**  
POLY MATERIAL (water/grease resistant) ☐  
CARDBOARD ☐  
HEAVY DUTY LAMINATED (re-usable) ☐

**CHOOSE MOUNTING:**  
METAL EYELET ONLY (8mm eyelet) ☐  
METAL EYELET WITH STRING ☐  
6mm HOLE ONLY ☐

**PLEASE ADVISE:**  
SINGLE SIDED ☐  
DOUBLE SIDED ☐  
SIZE IN mm  (minimum size 140mm x 75mm)  
QUANTITY

**PLEASE ADVISE IF TAGS NEED:**  
PERFORATION ☐  
SEQUENTIAL NUMBERING ☐

Indicate the layout on the below templates or scan/email an existing tag to modify ect. to [print@cirlock.com.au](mailto:print@cirlock.com.au) or phone 07 5445 2910

Front Back

**CIRLOCK** Cirlock Pty Ltd  
PO Box 39, Buderim, QLD 4556  
Ph: 07 5445 2910 Fax: 07 5445 9612 **CIRTAG®**

Download



✓ Order form can be downloaded from our website [www.cirlock.com.au](http://www.cirlock.com.au) - click on Product Support tab at the top of the Home page. Alternatively just email [print@cirlock.com.au](mailto:print@cirlock.com.au) and we'll get back to you

- LARGE AND SMALL QUANTITIES
- FAST DELIVERY
- SIMPLE ORDERING PROCESS
- FULL CUSTOMIZATION AVAILABLE

## Danger Do Not Operate

- Size 140 x 75mm
- Available in 3 different types of material:
  - ✓ Durable Poly material resists water and grease - can be ripped
  - ✓ Cardboard
  - ✓ Heavy Duty PVC 0.7mm - Reusable
- 8mm Grommet fits most padlocks
- No grommet in cardboard tags - they are supplied with string
- Customised versions can be supplied in large and small quantities with short delivery times

Part No.	Description
<b>SDT-1-5B</b>	Do Not Operate Tag - Pack of 5
<b>SDT-1-25B</b>	Do Not Operate Tag - Pack of 25
<b>SDT-1-100B</b>	Do Not Operate Tag - Pack of 100
<b>SDT-1-500B</b>	Do Not Operate Tag - Pack of 500
<b>SDT-1-1000B</b>	Do Not Operate Tag - Pack of 1000
<b>SDT-1C-50B</b>	Do Not Operate Tag CARDBOARD - Pack of 50
<b>SDT-1C-100B</b>	Do Not Operate Tag CARDBOARD - Pack of 100
<b>SDT-1C-500B</b>	Do Not Operate Tag CARDBOARD - Pack of 500
<b>SDT-1C-1000B</b>	Do Not Operate Tag CARDBOARD - Pack of 1000
<b>SDT-15-5B</b>	Do Not Operate Tag HEAVY DUTY PVC 0.7mm - Pack of 5
<b>SDT-15-25B</b>	Do Not Operate Tag HEAVY DUTY PVC 0.7mm - Pack of 25
<b>SDT-15-100B</b>	Do Not Operate Tag HEAVY DUTY PVC 0.7mm - Pack of 100
<b>SDT-15-500B</b>	Do Not Operate Tag HEAVY DUTY PVC 0.7mm - Pack of 500



## SDT-1



Available in Cardboard,  
Poly and Heavy Duty PVC



## Out Of Service

- Size 140 x 75mm
- Available in 3 different types of material:
  - ✓ Durable Poly material resists water and grease - can be ripped
  - ✓ Cardboard
  - ✓ Heavy Duty PVC 0.7mm - Reusable
- 8mm Grommet fits most padlocks
- No grommet in cardboard tags - they are supplied with string
- Customised versions can be supplied in large and small quantities with short delivery times

### Part No. Description

<b>SDT-2-5B</b>	Out of Service Tag - Pack of 5
<b>SDT-2-25B</b>	Out of Service Tag - Pack of 25
<b>SDT-2-100B</b>	Out of Service Tag - Pack of 100
<b>SDT-2-500B</b>	Out of Service Tag - Pack of 500
<b>SDT-2-1000B</b>	Out of Service Tag - Pack of 1000



<b>SDT-2C-50B</b>	Out of Service Tag CARDBOARD - Pack of 50
<b>SDT-2C-100B</b>	Out of Service Tag CARDBOARD - Pack of 100
<b>SDT-2C-500B</b>	Out of Service Tag CARDBOARD - Pack of 500
<b>SDT-2C-1000B</b>	Out of Service Tag CARDBOARD - Pack of 1000

<b>SDT-16-5B</b>	Out of Service Tag HEAVY DUTY PVC 0.7mm - Pack of 5
<b>SDT-16-25B</b>	Out of Service Tag HEAVY DUTY PVC 0.7mm - Pack of 25
<b>SDT-16-100B</b>	Out of Service Tag HEAVY DUTY PVC 0.7mm - Pack of 100
<b>SDT-16-500B</b>	Out of Service Tag HEAVY DUTY PVC 0.7mm - Pack of 500

## SDT-2



Available in Cardboard, Poly and Heavy Duty PVC

## Personal Danger Tag

- Durable Poly material resists water and grease - Can be ripped
- Size 140 x 75mm - 8mm grommet fits most padlocks
- Customised versions can be supplied



### Part No. Description

<b>SDT-103-5B</b>	Personal Danger Tag - Pack of 5
<b>SDT-103-25B</b>	Personal Danger Tag - Pack of 25
<b>SDT-103-500B</b>	Personal Danger Tag - BULK pack of 500
<b>SDT-103-1000B</b>	Personal Danger Tag - BULK pack of 1000

## SDT-103



## Danger Tag - Equipment Locked Out

- Durable Poly material resists water and grease - Can be ripped
- Size 140 x 75mm - 8mm grommet fits most padlocks
- Customised versions can be supplied



### Part No. Description

<b>SDT-8-5B</b>	Personal Danger Tag - Pack of 5
<b>SDT-8-25B</b>	Personal Danger Tag - Pack of 25
<b>SDT-8-500B</b>	Personal Danger Tag - BULK pack of 500
<b>SDT-8-1000B</b>	Personal Danger Tag - BULK pack of 1000

## SDT-8



# 22 TAGS - DANGER AND WARNING

## Commissioning Tags

- Durable Poly material which resists water and grease
- Size 140 x 75mm - 8mm grommet fits most padlocks
- Customised versions can be supplied
- Use code SDT-3 for Purple tag, SDT-211 for Blue tag



Part No.	Description
<b>SDT- 3 or 211 -5B</b>	Commissioning Tag - Pack of 5
<b>SDT- 3 or 211 -25B</b>	Commissioning Tag - Pack of 25
<b>SDT- 3 or 211 -100B</b>	Commissioning Tag - Pack of 100
<b>SDT- 3 or 211 -500B</b>	Commissioning Tag - BULK Pack of 500
<b>SDT- 3 or 211 -1000B</b>	Commissioning Tag - BULK Pack of 1000

## SDT-3 and SDT-211



## Information Tag

- Durable Poly material which resists water and grease
- Size 140 x 75mm - 8mm grommet fits most padlocks
- Customised versions can be supplied
- Use code SDT-4 for Blue tag, SDT-152 for Green tag



Part No.	Description
<b>SDT- 4 or 152 -5B</b>	Information Tag - Pack of 5
<b>SDT- 4 or 152 -25B</b>	Information Tag - Pack of 25
<b>SDT- 4 or 152 -100B</b>	Information Tag - Pack of 100
<b>SDT- 4 or 152 -500B</b>	Information Tag - BULK Pack of 500
<b>SDT- 4 or 152 -1000B</b>	Information Tag - BULK Pack of 1000

## SDT-4 and SDT-152




## Isolation Tag

- Durable Poly material resists water and grease - Can be ripped
- Size 140 x 75mm - 8mm grommet fits most padlocks
- Customised versions can be supplied



Part No.	Description
<b>SDT-14-5B</b>	Isolation Tag - Pack of 5
<b>SDT-14-25B</b>	Isolation Tag - Pack of 25
<b>SDT-14-500B</b>	Isolation Tag - BULK pack of 500
<b>SDT-14-1000B</b>	Isolation Tag - BULK pack of 1000

## SDT-14



## Danger Do Not Operate 'Persons working on Equipment' Re-usable

- Heavy Duty Laminated Tag - RE-USABLE CAN NOT BE RIPPED
- Size 140 x 75mm - 8mm grommet fits most padlocks
- Write on with Permanent marker
- Customised versions can be supplied
- Use the following ORDER CODES:
- SDT-9 - 'Persons Working on Equipment'
- SDT-10 - 'Maintenance Department'
- SDT-11 - 'Electrical Department'
- SDT-12 - 'Service in Progress'



Part No.	Description
<b>SDT-9, 10, 11 or 12 -5B</b>	Do Not Operate Tag - Heavy Duty Laminated - Pk of 5
<b>SDT-9, 10, 11 or 12 -25B</b>	Do Not Operate Tag - Heavy Duty Laminated - Pk of 25
<b>SDT-9, 10, 11 or 12-100B</b>	Do Not Operate Tag - Heavy Duty Laminated - Pk of 100

## SDT-9, 10, 11 and 12



# TAGS - DANGER AND WARNING

## Danger Do Not Operate Photo ID - Self Laminating

- Photo ID Self Laminating Tag
- Size 140 x 75mm - 8mm grommet fits most padlocks
- Customised versions can be supplied
- Simply place photo in space provided - apply supplied laminate on top



### Part No. Description

<b>SDT-6-5B</b>	Do Not Operate Tag - Photo ID - Pack of 5
<b>SDT-6-25B</b>	Do Not Operate Tag - Photo ID - Pack of 25
<b>SDT-6-100B</b>	Do Not Operate Tag - Photo ID - Pack of 100

## SDT-6



## Danger Do Not Operate - Photo ID - Re-usable


- Heavy Duty Laminated Tag - RE-USABLE CAN NOT BE RIPPED
- Size 140 x 75mm - 8mm grommet fits most padlocks
- Write on with Permanent marker
- Customised versions can be supplied



### Part No. Description

<b>SDT-7-5B</b>	Do Not Operate Tag - Heavy Duty Laminated - Pack of 5
<b>SDT-7-25B</b>	Do Not Operate Tag - Heavy Duty Laminated - Pack of 25
<b>SDT-7-100B</b>	Do Not Operate Tag - Heavy Duty Laminated - Pack of 100

## SDT-7



## Empty Cylinder - Do Not Use (Red)

- Durable Poly material resists water and grease - Can be ripped
- Size 140 x 75mm - 8mm grommet fits most padlocks
- Text on ONE side only - back is blank, easy write on with permanent marker
- Customised versions can be supplied



### Part No. Description

<b>170207-10pk</b>	Empty Cylinder Do Not Use - Pack of 10
<b>170207-100pk</b>	Empty Cylinder Do Not Use - Pack of 100
<b>170208-10pk</b>	Full Cylinder - Ready for Use - Pack of 10
<b>170208-100pk</b>	Full Cylinder - Ready for Use - Pack of 100

## 170207 & 170208



## Personal Danger Tag - DO NOT REMOVE - Re-Usable

- PVC Material resists water and grease
- Size only 80 x 50mm with 8.5mm padlock hole
- RE-USABLE 3mm thick PVC Plastic
- Space on back for Company Logo or similar
- Can be customized (minimum order 10)



### Part No. Description

<b>SYT-1-2B</b>	Do Not Remove Tags - Pack of 2
<b>SYT-1-5B</b>	Do Not Remove Tags - Pack of 5

## SYT-1



## 24 TAGS - OTHER

### Out of Service - Sticker

- Vinyl Sticker
- Size 350 x 65mm - 8mm grommet fits most padlocks
- Use to indicate machinery is unsafe to use. Designed for where 'normal' tags cannot be used. Simply stick on and remove when machinery is fixed.
- Also available as Danger Do Not operate and customized



#### Part No.

#### Description

<b>SDT-13</b>	Out of Service Sticker - Pack of 25
<b>SDT-13-100B</b>	Out of Service Sticker - Pack of 100

### SDT-13



### ID Card Danger Tag

- ID Tag (Credit Card size) supplied as a Danger Tag
- Size only 54 x 86mm with padlock hole
- Includes Photo and Name Information - Double sided
- Includes standard text: DANGER LOCKED OUT DO NOT REMOVE DO NOT OPERATE
- Can also include Barcode (type and detail must be specified)
- Can be fully customized (minimum order 10)




#### Part No.

#### Description

<b>SDT-ID1</b>	ID Card Danger Tag with Photo
<b>SDT-ID-CUSTOM</b>	Custom made ID Tags
Contact <a href="mailto:print@cirlock.com.au">print@cirlock.com.au</a> for more information	

### SDT-ID1



## TAG AND PROCEDURE HOLDERS

### Safety Tag Holders for Wall Mounting - CLEAR

- Moulded Clear Plastic
- For Wall Mounting with screws (screws not included)
- Single Pocket DL (STH-1) can be joined together to form multiple holders
- Will accommodate Safety Tags up to 100mm wide



#### Part No.

#### Description

<b>STH-1</b>	Safety Tag Holder with 1 compartment - Single Pack
<b>STH-2</b>	Safety Tag Holder with 2 compartments - Single Pack
<b>STH-3</b>	Safety Tag Holder with 3 compartments - Single Pack
<b>STH-4</b>	Safety Tag Holder with 4 compartments - Single Pack

### STH-1, 2, 3 and 4



STH-3



STH-1

### Safety Tag Holders for Wall Mounting - HEAVY DUTY

- Made from robust Poly materials
- Available from single to 4 compartments as standard
- Custom sizes on request
- Will accommodate Safety Tags up to 100mm wide
- Each compartment holds up to approx 40 tags



#### Part No.

#### Description

<b>STH-1Y</b>	Safety Tag Holder with 1 compartment - Single Pack
<b>STH-2Y</b>	Safety Tag Holder with 2 compartment - Single Pack
<b>STH-3Y</b>	Safety Tag Holder with 3 compartment - Single Pack
<b>STH-4Y</b>	Safety Tag Holder with 4 compartments - Single Pack

### STH-1Y, 2Y, 3Y and 4Y



## Safety Tag Station - 8 pocket

- Made from robust Poly materials
- Customs sizes on request
- Will accommodate Safety Tags up to 100mm wide
- Each compartment holds up to approx 40 tags
- To be Wall Mounted
- \* TAGS SOLD SEPARATELY



Part No.	Description
----------	-------------

STH-8	Safety Tag Holder - 8 Compartment*
-------	------------------------------------

## STH-8



## Tag Holder / Procedure - Weather Resistant

- Weather Resistant - no metal parts to corrode
- Wall mountable
- Supplied with heavy duty double sided tape for drill-free mounting
- Gasket seal closures on the PHL-3, 4 and 5

Part No.	Description
----------	-------------

PHL-2	Front Opening Document/Tag holder - Small - Sealed 285mm H x 210mm W x 49mm D - A5 Sized
PHL-3	Top Opening document holder - 317mm H x 260mm W x 57mm D - suitable for A4 sized documents
PHL-4	Front opening Document/Tag holder - Medium - Sealed - 370mm H x 279mm W x 54mm D - Suitable for small A4 binders
PHL-5	Front Opening Document/Tag holder - Large - Sealed 400mm H x 340mm W x 90mm D - Suitable for binders

## PHL-2, 3, 4 and 5



## Procedure Holder

- Made from robust Polycarbonate materials
- Suitable for A4 size binders
- Protects against Dust and Water Resistant
- Lockable



Part No.	Description
----------	-------------

PHL-1	Procedure Holder
-------	------------------

## PHL-1



## Heavy Duty Permit Holder / Procedure Holder

- Made from Heavy Duty PVC - plastic welded joints
- Hook and Loop top close
- 2 Brass Eyelets for fastening to machinery or other
- Splash Proof - with reflective tape front and back
- Well suited for Mining applications
- Can be used for display of Permits, Procedures, Vehicle Manuals et
- Can also be used for storage of Danger Tags or Lockout Equipment
- Dimensions: 450mm h x 270mm w (clear pocket 350mm h x 250mm w)

Part No.	Description
----------	-------------

ULB-1	Heavy Duty Manual Holder with Reflective Tape - Single Pack
-------	---

## ULB-1





# 26 LOCKOUT KITS

## Contractors Lockout Kit - Electrical - Standard Size

1 x LCB-2	Carry Bag
2 x UCL-1	Universal Lockout for Miniature CB's
1 x UCL-2	Universal Lockout for Moulded Case CB's
1 x UFL-2	Universal Lockout for Fuse Holder
1 x MFL-2	Multifunction Cable Lockout with 1 m steel cable
1 x SLH-30	Lockout Hasp
1 x SLP-150-RED	Padlock
1 x PLD-13	Plug and Hose Lockout Device
4 x SDT-1	Danger Tags
2 x SDT-2	Out of Service Tags, Pen, Screwdriver and Cables

### Part No. Description

**CLK-1** Contractors Lockout Kit - Standard



## CLK-1



## Contractors Lockout Kit - Electrical - Large Size

1 x LCB-2	Carry Bag
4 x UCL-1	Universal Lockout for Miniature CB's
2 x UCL-2	Universal Lockout for Moulded Case CB's
1 x UCL-2-EL	Lockout for CB's / RCD's with Short Toggle
1 x UCL-5	Lockout for Large Type Moulded Case CB's
2 x UFL-2	Universal Lockout for Fuse Holder
1 x MFL-2	Multifunction Cable Lockout with 1 m steel cable
1 x PLD-1	Plug and Hose Lockout Bag
1 x SLH-30	Lockout Hasp
3 x SLP-150-RED	Padlock
10 x SDT-1	Danger Tags
5 x SDT-2	Out of Service Tags Pen, Screwdriver and Cables

### Part No. Description

**CLK-2** Contractors Lockout Kit - Large



## CLK-2



## Contractors Lockout Kit - Mechanical - Standard Size

1 x LCB-2	Carry Bag
1 x BVL-1	Ball Valve Lockout
1 x GVL-1	Gate Valve Lockout
1 x PLD-1	Plug & Hose Lockout Bag
1 x MFL-2	Multifunction Cable Lockout with 1 m steel cable
1 x SLH-30	Lockout Hasp
2 x SLP-150-RED	Padlock
10 x SDT-1	Danger Tags
5 x SDT-2	Out of Service Tags Pen and Cables

### Part No. Description

**CLK-3** Contractors Lockout Kit - Mechanical



## CLK-3



## Contractors Lockout Kit - Combination Valves / Electrical

1 x LCB-2	Carry Bag
2 x UCL-1	Universal Lockout for Miniature CB's
2 x UCL-2	Universal Lockout for Moulded Case CB's
1 x UCL-2-EL	Lockout for CB's / RCD's with Short Toggle
1 x UCL-5	Lockout for Large Type Moulded Case CB's
2 x UFL-2	Universal Lockout for Fuse Holder
1 x MFL-2	Multifunction Cable Lockout with 1 m steel cable
1 x PLD-1	Plug and Hose Lockout Bag
1 x BVL-1	Ball Valve Lockout
1 x GVL-1a	Gate Valve Lockout
1 x SLH-30	Lockout Hasp
4 x SLP-150-RED	Padlock
10 x SDT-1	Danger Tags
5 x SDT-2	Out of Service Tags
	Pen, Screwdriver and Cableties

### Part No. Description

**CLK-4** Contractors Lockout Kit - Combination Valves / Electrical



## CLK-4



## Contractors Lockout Kit - Electrical - Tool Box

1 x LCB-6	Tool Box
2 x UCL-1	Universal Lockout for Miniature CB's
1 x UCL-2	Universal Lockout for Moulded Case CB's
1 x UFL-2	Universal Lockout for Fuse Holder
1 x MFL-2	Multifunction Cable Lockout with 1 m steel cable
1 x SLH-30	Lockout Hasp
1 x SLP-150-RED	Padlock
1 x PLD-13	Plug and Hose Lockout Device
4 x SDT-1	Danger Tags
2 x SDT-2	Out of Service Tags
	Pen, Screwdriver and Cableties

### Part No. Description

**CLK-5** Contractors Lockout Kit - Standard in Toolbox



## CLK-5



## Contractors Lockout Kit - Large - Valves

1 x LCB-7	Large Carry Bag
1 x GVL-2	Gate Valve Lockout - for handles up to 65mm (2.5")
1 x GVL-4	Gate Valve Lockout - for handles up to 125mm (5")
1 x GVL-6	Gate Valve Lockout - for handles up to 160mm (6.5")
1 x BVL-1	Ball Valve Lockout 10-32mm (3/8" - 1 1/4")
1 x CWL-1	Cylinder Valve Lockout
1 x BVL-3	Large Ball Valve Lockout 32-75mm (1 1/4 - 3")
1 x SLH-30	Stainless Steel Lockout Hasp
1 x UCL-1	Universal Lockout for Miniature Circuit Breakers
1 x UCL-2	Universal Lockout for Moulded Case Circuit Breakers
2 x SLP-150-RED	Personal Lockout Padlocks
1 x MFL-2	Multifunction Cable Lockout
10 x SDT-1	Danger Tags
10 x SDT-2	Out of Service Tags
	Pen, Screwdriver and Cableties

### Part No. Description

**CLK-10** Contractors Lockout Kit - Large - Valves



## CLK-10



## 28 CUSTOM MADE TAGS

### Personal Lockout Kit - Standard

1 x LCB-5	Waist Carry Bag (Bum bag)
2 x UCL-1	Universal Lockouts for Miniature CB's
2 x UCL-2	Universal Lockouts for Moulded Case CB's
1 x UFL-2	Universal Lockout for Fuse Holders
2 x SYT-1	Personal Safety Tags
1 x SLP-150-RED	Padlock
1 x	Small Screwdriver

Part No.	Description
----------	-------------

PLK-1	Personal Lockout Kit - Small
-------	------------------------------



### PLK-1



### Personal Lockout Kit - Standard (Belt Bag)

1 x LCB-8	Belt Carry Bag
2 x UCL-1	Universal Lockouts for Miniature CB's
2 x UCL-2	Universal Lockouts for Moulded Case CB's
1 x UFL-2	Universal Lockout for Fuse Holders
5 x SDT-1	Danger Do Not Operate Tag
5 x SDT-2	Out of Service Tag
2 x SLP-450-RED	Set of 2 Keyed Alike Safety Lockout Padlocks
1 x KHR-2	Retractable Key Holder
1 x	Small Screwdriver

Part No.	Description
----------	-------------

PLK-2	Personal Lockout Kit - Standard (Belt Bag)
-------	--



### PLK-2



### Personal Padlock Lockout Kit - Large (Belt Bag)

1 x LCB-8	Belt Carry Bag
1 x SLH-42	Lockout Hasp
5 x SDT-1	Danger Tags
5 x SDT-2	Out of Service Tags
6 x SLP-450-RED	Set of 6 Keyed Alike Safety Padlocks
1 x KHR-2	Retractable Key Holder

Part No.	Description
----------	-------------

PLK-3	Personal Lockout Kit (Belt Bag)
-------	---------------------------------



### PLK-3



## Padlock Lockout Kit - Small

- 1 x LCB-3 Belt Carry Bag (small)
- 2 x SLP-450-RED Set of 3 Keyed Alike Safety Padlocks
- 1 x KHR-2 Retractable Key Holder

### Part No. Description

LCB-4 Padlock Lockout Kit - Small

## LCB-4



## Universal Lockout Pack


- 1 x UCL -1 Universal Lockout for MCB's
- 1 x UCL-2 Universal Lockout for MCCB's
- 1 x UFL-2 Fuse Holder Lockout and a free screwdriver

### Part No. Description

UCL-PACK Universal Lockout Pack



## UCL-PACK



## Lockout Carry Bags

### Part No. Description

- LCB-2 Lockout Carry Bag with Zipper & Belthook - Single Pack
- LCB-3 Belt Bag for Lockouts and Padlocks Small - Single Pack
- LCB-5 Waist Carry Bag for Lockouts and Padlocks - Single Pack
- LCB-6 Lockout Toolbox - Single Pack
- LCB-7 Lockout Carry Bag - Large
- LCB-8 Belt Bag for Lockouts and Padlocks - Large

PART CODE	SIZE
LCB-2	250mm x 140mm x 200mm
LCB-3	110mm x 80mm x 35mm
LCB-5	230mm L x 60 D x 140 H
LCB-6	320mm L x 170mm W x 140mm D
LCB-7	650mm L x 300mm H x 270mm D
LCB-8	140mm x 110mm x 50mm

## LCB-2, 3, 5 and 6

### LCB-2



### LCB-3



### LCB-5



### LCB-6



### LCB-7



### LCB-8



# 30 LOCKOUT STATIONS WITH LID

## Lockout Station with Lid - Basic Size - 5 Padlocks


5 x	Lockout Padlocks
10 x SDT-1	Do Not Operate Tags
5 x SDT-2	Out Of Service Tags
1 x SLH-30	Lockout Hasp

Dimensions: 360mm (h) x 310mm (w)  
Also available as a Base Only - No Parts included - **LST-LBASE**

Part No.	Description
<b>LST-1L</b>	Lockout Station with Lid - Basic size 5 padlocks
<b>LST-LBASE</b>	Lockout Station with Lid - BASE ONLY



### LST-1L



LST-3L pictured

## Lockout Station with Lid - Medium Size - 10 Padlocks

10 x	Lockout Padlocks
25 x SDT-1	Do Not Operate Tags
25 x SDT-2	Out Of Service Tags
2 x SLH-30	Lockout Hasp
2 x UCL-1	Universal Lockout for Miniature Circuit Breaker
2 x UCL-2	Universal Lockout for Moulded Circuit Breaker
2 x UFL-2	Universal Lockout for Fuse Holder
1 x UCL-2-EL	Lockout Device for short toggle Circuit Breaker
1 x MFL-2	Multifunction Cable Lockout Device
1 x PLD-1	Plug and Air Hose Lockout Device

Dimensions: 360mm (h) x 310mm (w)  
Also available as a Base Only - No Parts included - **LST-LBASE**

Part No.	Description
<b>LST-2L</b>	Lockout Station with Lid - Medium size 10 Padlocks
<b>LST-LBASE</b>	Lockout Station with Lid - BASE ONLY



### LST-2L



LST-3L pictured

## Lockout Station with Lid - Large Size - 15 Padlocks

15 x	Lockout Padlocks
25 x SDT-1	Do Not Operate Tags
25 x SDT-2	Out Of Service Tags
3 x SLH-30	Lockout Hasp
3 x UCL-1	Universal Lockout for Miniature Circuit Breaker
3 x UCL-2	Universal Lockout for Moulded Circuit Breaker
3 x UFL-2	Universal Lockout for Fuse Holder
1 x UCL-2-EL	Lockout Device for short toggle Circuit Breaker
1 x UCL-5	Lockout Device for Large Circuit Breaker
1 x MFL-2	Multifunction Cable Lockout Device
1 x PLD-1	Plug and Air Hose Lockout Device

Dimensions: 360mm (h) x 310mm (w)  
Also available as a Base Only - No Parts included - **LST-LBASE**

Part No.	Description
<b>LST-3L</b>	Lockout Station with Lid - Large size 15 padlocks
<b>LST-LBASE</b>	Lockout Station with Lid - BASE ONLY



### LST-3L





## Lockout Station - Basic Size - 5 Padlocks

5 x	Lockout Padlocks
10 x SDT-1	Do Not Operate Tags
5 x SDT-2	Out Of Service Tags
1 x SLH-30	Lockout Hasp

Dimensions: 300 x 350 mm

Also available as a Base Only - No Parts included - **LST-BASE1**

Part No.	Description
----------	-------------

<b>LST-1</b>	Lockout Station - Basic 5 padlocks
--------------	------------------------------------

<b>LST-BASE1</b>	Lockout Station - Small - BASE ONLY
------------------	-------------------------------------



## LST-1



## Lockout Station - Medium Size - 10 Padlocks

10 x	Lockout Padlocks
25 x SDT-1	Do Not Operate Tags
25 x SDT-2	Out Of Service Tags
2 x SLH-30	Lockout Hasp
2 x UCL-1	Universal Lockout for Miniature Circuit Breaker
2 x UCL-2	Universal Lockout for Moulded Circuit Breaker
2 x UFL-2	Universal Lockout for Fuse Holder
1 x UCL-2-EL	Lockout Device for short toggle Circuit Breaker
1 x MFL-2	Multifunction Cable Lockout Device
1 x PLD-1	Plug and Air Hose Lockout Device

Dimensions: 300 x 350 mm

Also available as a Base Only - No Parts included - **LST-BASE2**

Part No.	Description
----------	-------------

<b>LST-2</b>	Lockout Station - Medium Size 10 Padlocks
--------------	---

<b>LST-BASE2</b>	Lockout Station - Medium - BASE ONLY
------------------	--------------------------------------



## LST-2



## Lockout Station - Large Size - 20 Padlocks

20 x	Lockout Padlocks
25 x SDT-1	Do Not Operate Tags
25 x SDT-2	Out Of Service Tags
3 x SLH-30	Lockout Hasp
3 x UCL-1	Universal Lockout for Miniature Circuit Breaker
3 x UCL-2	Universal Lockout for Moulded Circuit Breaker
3 x UFL-2	Universal Lockout for Fuse Holder
1 x UCL-2-EL	Lockout Device for short toggle Circuit Breaker
1 x UCL-5	Lockout Device for Large Circuit Breaker
1 x MFL-2	Multifunction Cable Lockout Device
1 x PLD-1	Plug and Air Hose Lockout Device

Dimensions: 300 x 500 mm

Also available as a Base Only - No Parts included - **LST-BASE3**


Part No.	Description
----------	-------------

<b>LST-3</b>	Lockout Station - Large size 20 Padlocks
--------------	--

<b>LST-BASE3</b>	Lockout Station - Large - BASE ONLY
------------------	-------------------------------------



## LST-3



# 32 LOCKOUT STATIONS NO LID

## Lockout Station - Medium with Valve Lockouts

10 x	Lockout Padlocks
25 x SDT-1	Do Not Operate Tags
25 x SDT-2	Out Of Service Tags
2 x SLH-30	Lockout Hasp
2 x UCL-1	Universal Lockout for Miniature Circuit Breaker
2 x UCL-2	Universal Lockout for Moulded Case Circuit Breaker
2 x UFL-2	Universal Lockout for Fuse Holder
1 x UCL-2-EL	Lockout Device for Short Toggle Circuit Breaker
1 xGVL-1a	Gate Valve Lockout Adjustable up to 160 mm
1 x BVL-1	Ball Valve Lockout 19 - 32 mm
1 x MFL-2	Multifunction Cable Lockout Device
1 x PLD-1	Plug and Air Hose Lockout Device

Dimensions: 300 x 350 mm

Also available as a Base Only - No Parts included - **LST-BASE4**

Part No.	Description
----------	-------------

<b>LST-4</b>	Lockout Station - Medium includes Valve Lockouts
--------------	--

<b>LST-BASE4</b>	Lockout Station - Medium - BASE ONLY
------------------	--------------------------------------



## LST-4



## Lockout Station - Large with Valve Lockouts

20 x	Lockout Padlocks
25 x SDT-1	Do Not Operate Tags
25 x SDT-2	Out Of Service Tags
3 x SLH-30	Lockout Hasp
3 x UCL-1	Universal Lockout for Miniature Circuit Breaker
3 x UCL-2	Universal Lockout for Moulded Case Circuit Breaker
3 x UFL-2	Universal Lockout for Fuse Holder
1 x UCL-2-EL	Lockout Device for short toggle Circuit Breaker
1 x UCL-5	Lockout Device for Large Circuit Breaker
1 x MFL-2	Multifunction Cable Lockout Device
1 x PLD-1	Plug and Air Hose Lockout Device
1 x PLD-2	Large Plug Lockout Device
1 x GVL-1a	Gate Valve Lockout Adjustable up to 160 mm
2 x BVL-1	Ball Valve Lockout 19 - 32mm

Dimensions: 350 x 600 mm

Also available as a Base Only - No Parts included - **LST-BASE5**

Part No.	Description
----------	-------------

<b>LST-5</b>	Lockout Station - Large includes Valve Lockouts
--------------	---

<b>LST-BASE5</b>	Lockout Station - Large - BASE ONLY
------------------	-------------------------------------



## LST-5



## Mini Lockout Station - Basic with 3 Padlocks

1 x	Lockout Base (LST-BASE6)
3 x SLP-450-RED	Safety Lockout Padlocks Red
1 x SLH-42	Lockout Hasp

Also available as a Base Only - No Parts included - **LST-BASE6**

Part No.	Description
----------	-------------

<b>LST-6</b>	Mini Lockout Station - Basic with 3 padlocks
--------------	--

<b>LST-BASE6</b>	Mini Lockout Station - BASE ONLY
------------------	----------------------------------



## LST-6



## Mini Lockout Station - Medium with 3 Padlocks

1 x	Lockout Station Base
3 x SLP-450-Red	Lockout Padlocks
1 x SLH-42	Lockout Hasp
2 x UCL-1	Universal Lockout for Minature Circuit Breakers
1 x UCL-2	Universal Lockout for Moulded Case Circuit Breakers
1 x UFL-2	Lockout Device for Fuse Holders
1 x MFL-2	Multifunction Cable Lockout Device
1 x PLD-13	Plug Lockout Device (Small)
10 x SDT-1	Danger Tags - Do Not Operate
10 x SDT-2	Out of Service Tags

Also available as a Base Only - No Parts included - **LST-BASE7**

Part No.	Description
----------	-------------

<b>LST-7</b>	Mini Lockout Station - Medium with 3 padlocks
--------------	---

<b>LST-BASE7</b>	Mini Lockout Station - BASE ONLY
------------------	----------------------------------



## LST-7



## Compact Lockout Station - Basic with 2 padlocks

1 x	Lockout Station Base
2 x SLP-450-Red	Lockout Padlocks
1 x	Steel Lockout Hasp
5 x SDT-1	Danger Tags

Also available as a Base Only - No Parts included - **LST-BASE11**  
Size: 120mm x 220mm


Part No.	Description
----------	-------------

<b>LST-11</b>	Compact Lockout Station - Basic 2 Padlocks
---------------	--

<b>LST-BASE11</b>	Compact Lockout Station - BASE ONLY
-------------------	-------------------------------------



## LST-11



## Compact Lockout Station - Small with 5 padlocks

1 x	Lockout Station Base
5 x SLP-450-Red	Lockout Padlocks
1 x	Steel Lockout Hasp
5 x SDT-1	Danger Tags
5 x SDT-2	Out of Service Tags

Size: 120mm x 220mm  
Also available as a Base Only - No Parts included - **LST-BASE12**

Part No.	Description
----------	-------------

<b>LST-12</b>	Compact Lockout Station - Small with 5 padlocks
---------------	---

<b>LST-BASE12</b>	Compact Lockout Station - BASE ONLY
-------------------	-------------------------------------



## LST-12



## Padlock Storage Station

- Available in 2 sizes 56 and 120 locks
- Size of PBP-56 400 x 800mm
- Size of PBP-120 800 x 800mm
- Made from tough poly materials
- Wall Mountable


Part No.	Description
----------	-------------

<b>PBP-56</b>	Padlock Storage Station 56 hooks
---------------	----------------------------------

<b>PBP-120</b>	Padlocks Storage Station 120 hooks
----------------	------------------------------------



## PBP-56 & PBP-120



## 34 LOCKOUT STATIONS

### Permit Control Board

- Includes 16 hole Group Lock Box
- Supplied with Clip and Sleeve for permits
- Size 240mm x 500mm
- Made from tough poly materials
- Can be wall mounted or used portable



Part No.	Description
PCB-1	Permit Control Board

### PCB-1



### Padlock Lockout Station

- Available in 2 sizes 56 and 120 locks
- Size of PLS-56 400 x 800mm
- Size of PLS-120 800 x 800mm
- Made from tough poly materials
- Wall Mountable



Part No.	Description
PLS-56	Padlock Lockout Station 56 hooks (locks not included)
PLS-120	Padlock Lockout Station 120 hooks (locks not included)

### PLS-56 & PLS-120



## OTHER PRODUCTS

### Push Button Lockout

- Available in 2 sizes
- Made from 2 parts, simply attach bottom part to push button mounting plate with supplied adhesive tape (or screws/rivets) and the cover part gets placed and padlocked when needed.
- A padlock with shackle up to 7mm can be accommodated
- Made from clear poly material.

Part No.	Description
PBL-35	Push Button Lockout (internal dimension 35mm)
PBL-45	Push Button Lockout (internal dimension 45mm)

### PBL-35 & PBL-45




### Pad Eye Lockout

- Save on recertification by blocking the Pad-Eye with a tamper proof sealed lockout device
- Made from UV Stable plastics and Aluminium
- Set includes Lockout Disc and 2 security seals



Part No.	Description
PEL-1	For hole sizes up to 30mm - 1 set
PEL-2	For hole sizes 30 - 120mm - 1 set

### PEL-1 & PEL-2



## Barrier Tapes

- Available in various colours
- Size 75mm x 100m (Except Solar Tape see below)
- Non-adhesive (Solar Tape is adhesive)
- Used to identify Hazards / Dangerous areas

Part No.	Description
<b>BAT-1</b>	Blue/White Barrier Tape
<b>BAT-2</b>	Red/White Barrier Tape
<b>BAT-3</b>	Green/White Barrier Tape
<b>BAT-4</b>	Warning Solar DC Tape (Adhesive 37mm wide with 100mm perforated sections. 50 Metre roll)

## BAT-1, 2 and 3



## Security Seals

Our range of high quality Security Seals is expanding all the time. Below are the part codes for our most popular seals. We have other pack sizes available, please visit our website [www.cirlock.com.au](http://www.cirlock.com.au), or send an enquiry to [sales@cirlock.com.au](mailto:sales@cirlock.com.au).

Part No.	Description
<b>CSS-1</b>	Nifty Lock - Pack of 50
<b>CSS-3</b>	Tool Less ROTO Seal - Pack of 100 (wire sold separately)
<b>CSS-4</b>	Bi-Lok - 1000 Pack
<b>CSS-5</b>	Harmet Meter Seal - 1000 Pack (Green, Red, or Blue)
<b>CSS-8</b>	Harmet Meter Seal Tails (Black) - Pack of 1000
<b>CSS-9</b>	Harcor Sealing Press with Tongue and Groove Ties
<b>CSS-10</b>	Grip Rip Series No 5 - Pack of 500
<b>CSS-11</b>	S Pull II Blue 200mm (short) - Pack of 500
<b>CSS-12</b>	S Pull 1 Yellow 300mm (long) - Pack of 500
<b>CSS-13</b>	Bolt Lock - Pack of 50
<b>CSS-14</b>	B1 Ball Seal - Pack of 1000
<b>CSS-15</b>	Padlock Plastic Seal (Blue) - Pack of 1000
<b>CSS-16</b>	Padlock Plastic Seal (Red) - Pack of 1000
<b>CSS-17</b>	Fast Seal - Pack of 1000
<b>CSS-18</b>	Plastic Pull Up Seal - Pack of 1000
<b>CSS-19</b>	Plastic Pull Up Seal (Heavy Duty) - Pack of 1000

## Various





## 36 OTHER PRODUCTS

### 5S System


Ensure your workplace is as systemised and functional to work in as possible with our 5S System. Originating in Japan this lean manufacturing system will help you and your team to be organised and systemised.

- Sort the area, mark unwanted items with a Red Tag
- Set a space aside for these items and have a process
- Shine - Keep the work area tidy and clean
- Standardize - make it the best work practice
- Sustain - Keep working on the above four 5S's



Part No.	Description
<b>5S-STH-1</b>	5s Red Tag Station, complete with clipboard, 2 x tag holders & 25 tags
<b>5S-STH-2</b>	Mini Red Tag Station - single wall mountable tag holder with 10 tags
<b>5S-STH-3</b>	Mini Red Tag Station - single wall mountable with 10 x 5s Stickers
<b>293408</b>	5S Sticker (same design as 5s Tag) - Pack of 10

### 5S-RTS-1 & 5S-RTS-2



5S-STH-2

5S-STH-1

### Computer Plug Lockout

- Prevents powercords being inserted (IEC 60320 style)
- Easy to use
- Padlock not included.

Part No.	Description
<b>CPL-1</b>	Computer Plug Lockout

### CPL-1



### Padlock Lockout Station

- Made from robust extruded Aluminium, with durable powder coat finish.
- 7mm holes for padlock storage.
- Available with 6, 10 or 20 holes - For wall mounting.
- Padlocks not included.



Part No.	Description
<b>LPS-6</b>	Padlock Storage Bracket - Holds 6 locks (locks not included)
<b>LPS-10</b>	Padlock Storage Bracket - Holds 10 locks (locks not included)
<b>LPS-20</b>	Padlocks Storage Bracket - Holds 20 locks (locks not included)

### LPS-6, 10 and 20



### Scaffold Tag

- Securely attached to scaffold to show the latest status at a glance
- Tag holder size 300mm h x 100mm w (63mm diameter hole)
- Double sided tag allows specific information to be recorded and clearly displayed
- Space on back for company label or similar

Part No.	Description
<b>STH-20</b>	Scaffold Tag Kit, includes 10 x holders, 20 standard inserts and pen
<b>STH-25</b>	Inserts Only - Packs of 10

### STH-20




## Arm Core Coolers

- Reduce Core body temperature fast
- Extremely compact, requires little storage space
- Adjustable webbing strap - adjustable to anyones size
- Can be used almost anywhere, sitting in a chair or leaning up against a wall

Part No.	Description
<b>ACC-2</b>	Arm Core Coolers - Pack of 2
<b>ACC-5</b>	Arm Core Coolers - Pack of 5
<b>ACC-2-REFILL</b>	Insert Refils (LDPE Plastic Bags)

## ACC-2 / ACC-5



## Low Voltage Rescue Kit

Designed for the rescue of workers in live situations.  
Kit includes:

- Rescue Kit Carry Case
- Multi Trauma Dressing
- 1100V work gloves
- Weatherproof torch & batteries
- 1000V crook
- Isolation Sign
- Fire Blanket

Part No.	Description
<b>LVR-1</b>	Low Voltage Rescue Kit

## LVR-1




# 38 CIRLOCK SYSTEM™ - ALUMINIUM



## Lockout devices for Circuit Breakers Permanently fixed to Distribution Boards

- Unique system - Made in Australia since 1992
- Available for most types of Circuit Breakers
- EASY ORDERING - Send us a photo (or a sketch) of the Distribution Board and we will return details and prices on whats required



The CIRLOCK System basically consists of two parts:



Lockout Arm's



Mounting Set



CIRLOCK System

## APPLICATION:

The CIRLOCK System is a unique system of Lockout Devices for circuit breakers, which can, when properly installed and used, help to prevent unintended energization of electrical circuits.

### The system consist of basically two parts:

A **MOUNTING SET** to be attached to the circuitbreakers escutcheon plate, normally in full lenght of the cut-out made for C/B's. A slot and hole are then available for each 'pole' on the board. A number of **LOCKOUT ARMS**, one for each circuit breaker, are then inserted in the slots in Mounting Sets during installation, or later. Because various brands of circuit breakers have different pole widths and sizes, Mounting Set and Lockout Arm must be ordered to fit the brand and type of circuit breakers in use. See pages 38 & 39 for details.

### ORDERING EXAMPLE


Lockout Devices for a 24 pole (2x12 pole) distribution board for miniature (18mm) circuit breakers, fitted with 13 Terasaki DIN-T circuit breakers, a mix of 3- pole and 1- pole. ORDER: 2 only Mounting Sets Type MAM-12 and 13 Lockout Arms Type ALA-M-1. Lockout Arms can also be installed for 'Spare' poles now or later. See pages 38 & 39 on part numbers to fit types of circuit breakers.

### MATERIAL

The CIRLOCK System is made in Australia from Clear Anodised Aluminium, Plastic Brackets and Coated Steel Hinge Rods.

## APPLICATION CONTINUED..

### DIMENSIONS



'A' mm	Lockout Arm Type
65	ALA-M-1 to 13
70	ALA-T-1 & 2
115	ALA-T-3, ALA-W-3 & 4
78	ALA-H-1,2,3 & 4
123	ALA-H-5
88	ALA-Q-4 & 5

Highest point over Distr. Boards escutcheon plate - without use of spacers: **20mm**

**Except: Highest point over Distr. Board for UMAP - 12mm and UMAVE - 6mm**

Spacers - if used - are **3mm** thick each

Holes provided for fastening are **4.2mm** - supplied screws and nuts are size M3.

Holes for Padlocks are standard **7mm**. Larger holes (max 9mm) can be provided on request.

SEE OVER THE PAGE FOR PART NUMBERS FOR MOUNTING SETS AND LOCKOUT ARMS

## CIRLOCK Spare / Auxiliary parts

### Part No. Description

<b>SPA-18</b>	Spacer for End Brackets and Support Brackets. Size 12 x 18 x 3 mm. Aluminium
<b>SPA-31</b>	Spacer for SALD- Types. Size 12 x 30 x 3mm. Aluminium
<b>EBA-2</b>	End Bracket for Mounting Set. Plastic with M3 Brass insert.
<b>SUBA-3</b>	Support Bracket for Mounting Set. Plastic with M3 Brass insert.
<b>PLBA-1</b>	Padlock Bracket for SALD- Types. Size 12 x 30 x 20mm. Has a 7mm padlock hole
<b>SPP-17</b>	Spacer for SPLD types. Size 17 x 20 x 3mm Plastic. Pack of 2
<b>ROD-x</b>	Rod for Mounting Set. Inform length 'X' in mm - max length available is 1200mm. Galvanised Steel
<b>FLB-23-300 or 600</b>	Spacer Flatbar to use under full length of Mounting Sets, only use when a build up of more than 2 x SPA-18 is required. Size: 20 x 3mm - 300mm or 600mm long. Alluminium
<b>SCHP-412</b>	Plastic (Nylon) Screws M4x12mm. Pack of 10
<b>SCHP-420</b>	Plastic (Nylon) Screws M4x20mm. Pack of 10
<b>SNUP-M4</b>	Plastic (Nylon) Nuts M4. Pack of 10
<b>RIVETA-43</b>	Blind (POP) Rivets Aluminium. Pack of 10

**SPA-18**



**SPA-31**

**EBA-2**

**SUBA-3**

**PLBA-1**

**SPP-17**

**ROD-x**

**FLB23-300  
FLB23-600**


## MOUNTING SETS FOR ROW MOUNTED CIRCUIT BREAKERS

### To suit Brand of CB's

### Order Type:

<b>Heinemann CF Series</b> 26.4mm pole width	<b>MAH-x</b> x = No. of poles
<b>Heinemann GH Series</b> 35.25mm pole width	<b>MAGH-x</b> x = No. of poles
<b>Miniature Types for DIN-Rail</b> 18mm pole width For Plastic DB's see below for UMAP- Universal Types Mounting Sets	<b>MAM-x</b> x = No. of poles
<b>9mm Pole Width - 1/2 Module Miniature Type + 27mm wide CB's</b> Where 1/2 module auxiliary contacts are mounted, and for use with 15kA (27mm) CB's.	<b>MAMM-x</b> x = No. of poles
<b>Terasaki SAFE-T Series ( NOT DIN-T)</b> <b>Mitsubishi BHA 6kA Series</b> and others with 25mm pole width	<b>MAT-x</b> x = No. of poles
<b>Terasaki Tembreak XS125/XH125 &amp; Tembreak 2 S125 (up to 65kA)</b> <b>LG GBH/GBN 100 Series</b> and others with 30mm pole width	<b>MAX-x</b> x = No. of poles
<b>Quicklag Series</b> <b>General Electric TQ/THQ Series</b> and others with 25.5mm pole width	<b>MAQ-x</b> x = No. of poles
<b>Westinghouse FB/F Frame Series, Cutler-Hammer F/FW/Fi/Ji Series, Terasaki Tembreak 160/250Amp series, LG GBH/GBN 250 Series, Merlin Gerin NS100/NS160/NS250 Series</b> and others with 35mm pole width	<b>MAW-x</b> x = No. of poles
<b>Westinghouse E-Frame (Older Type)</b> and others with 38mm pole width	<b>MAE-x</b> x = No. of poles
Plastic Distribution Boards for Miniature CB's Universal Mounting Set for (Most) Types Plastic Distr. Boards with various shapes.	<b>UMAP-x and UMAVE-x</b> x = No. of poles
<b>1.2 metre Mounting Set Pack (1200 mm)</b> <b>Mounting Set to cut to size - comes with:</b> 1.2 metre rails / rod, 8 end bracket EBA-2, 4 support bracket SUBA-3, and screws and nuts	Specify Type as per above - i.e.: MAM-1200 MAH-1200

### MAMM- Mounting Sets:

MAMM's are same size as MAM's (i.e. an MAMM-12 are same length as MAM-12), but have provision for a Lockout Arm for every 9 mm (module 18 mm) in its full length. Are to be used where there are 1/2 module (Aux. contacts or similar) mounted with CB's, or for 27 mm wide modules (15 kA CB's).

EXAMPLE: MAMM-24 is for 24 single poles of 18 mm wide modules.

To use MAMM for 27 mm wide CB's: A 27 mm module is 1.5 times 18 mm. Convert Number of 27 mm poles into 18 mm poles, i.e. 24 poles of 27 mm is 36 poles of 18 mm. For one row of 24 single poles of 27 mmCB's, a MAMM-36 Mounting Set is needed.

If in doubt call 07-54452910 and ask for technical support. We will be happy to help.

### Ordering Example:

For 1 row of 15 Heinemann CF single pole CB's - order: 1 only MAH-15 Mounting Set.  
For 24 pole DB with 2 rows of 12 single pole Miniature CB's - order: 2 only MAM-12 Mounting Sets.  
**Lockout Arms must be ordered separately. See page over.**




## LOCKOUT ARMS TO BE USED WITH MOUNTING SETS

### Circuit Breaker Type:

### Part No:

Terasaki DIN-T MCB / Wynckier/GEC DIN MCB / Martec/Hager MSN, NS, NT, NM, NC, ND + CD & AD E/LCB / ABB / BBC / STOTZ / Nilsen S230, 250, 270 series / Clipsal 4SW- / Lanson Series / Clipsal Powerrange 6-25kA / Moeller FAZ series / CutlerHammer WMM series / HPM H3, H6 series HPM 6XELrcd - AND SIMILAR SHAPED CB's	ALA-M-1
Merlin Gerin MULTI-9 series / HPM H- series / LG Miniature series Schneider C60N/H	ALA-M-2
Clipsal TERRACOTTA 4CB + EL + 4EBE series WeberAS 168 series Wilco MCB3, MCB4, MCB6 & RCD series	ALA-M-3
Siemens 5SN & 5TE series / Weber AS153 / HPM Main SW. DIN series	ALA-M-4
Siemens 5SX2- series	ALA-M-5
Terasaki (OLDER STYLE only) Single Pole DRCB DinSafe Allan Bradley 1492.SP series	ALA-M-6
Terasaki DIN-T 10H series 10kA 80-125A - similar with large toggle	ALA-M-8
Schneider Acti 9 Circuit Breaker	ALA-M-12
QF SERIES	ALA-M-13
Terasaki SAFE-T CB & EL - TZ50S/- series & TH-5SG NOTE: Single pole SRCB see ALA-T-2	ALA-T-1
Terasaki Single Pole SAFE-T SRCB combi RCD/CB	ALA-T-2
Terasaki XS125/250, XH125/250 TEMBREAK 2 up to 250A LG-MEC GBH / GBN 100A / Merlin Gerin NS 100/250	ALA-T-3
Heinemann CF C/B series & SF / SM EL	ALA-H-1
Heinemann (Heinelec) CF1-EL & CF1-ELA combi RCD/CB Mitsubishi BHA 6kA series General Electric Q-Line, TQL, TQB, TQC, THQL & others	ALA-H-2
Heinemann Protector E/L Type SL (Older Type)	ALA-H-3
Heinemann GH series CB's	ALA-H-4
Heinemann CP-1 CB's (Older Types)	ALA-H-5
Moeller PA series when used with Heinemann CF Type CB's	ALA-H-6
Heinemann SF1 EL MCCB	ALA-H-7
Quicklag Duplex Type - This item only made on request	ALA-Q-3
Quicklag Q series CB's (Also N-28 etc..)	ALA-Q-4
Quicklag RCD-CB's E/L -ELQ series	ALA-Q-5
Westinghouse HFB/FB Frame series Cutler-Hammer FW, FI / LG MEC GBH 250A Mitsubishi NF100/NF250	ALA-W-3
Westinghouse E-Frame series (Older Type)	ALA-W-4




One Lockout Arm is needed for each Circuit Breaker, whether it is a 1, 2, 3 or 4 pole CB.  
'Spare' Lockout Arms can be installed in Mounting Sets during initial installation or at a later date.

Lockout Arms listed above covers most Types of CB's - and special Lockout Arms can be made on request and if necessary.

## Complete Lockout Devices for Individually Mounted Circuit Breakers

- One device per Circuit Breaker required - **see table on next page**
- Comes as a complete set including mounting screws (does not include padlock)
- Available for all types of breakers
- If unsure of type required the SPLD-MCB for Miniature Circuit Breakers, or SPLD-LCB for Moulded Case Breakers may be suitable, see below



Various SALD-Types



SPLD-M1-YLW



SALD-R-2



SALD-R-3



SALD-R-4



SALD-R-5



SPLD-3-GREY



## Universal Type for Individually Mounted Circuit Breakers

### MINIATURE C/B's Part code: SPLD-MCB

Includes 2 different arm sizes - 1 for CB's with toggle in the middle and 1 for CB's with toggle at the bottom.



SPLD-MCB arm (middle toggle)




Suitable for the above type circuit breaker and similar

### MOULDED CASE C/B'S Part code: SPLD-LCB

Depending on the physical size of breaker use **SPLD-LCB** for Moulded Case C/B's. Refer below for dimensions of the Lockout Device

	A	B	C
SPLD-1	108	50	58
SPLD-2	78	30	48
SPLD-3	58	26	32



SPLD-2 arm on Safe-T CB

Suitable for the above type circuit breaker and similar

## COMPLETE LOCKOUT DEVICES FOR INDIVIDUALLY MOUNTED CIRCUIT BREAKERS

### To suit Circuit Breaker Type

### Part No.

Terasaki DIN-T MCB / Wynckier/GEC DIN MCB / Martec/Hager MSN, NS, NT, NM, NC, ND + CD & AD E/LCB / ABB / BBC / STOTZ / Nilsen S230, 250, 270 series / Clipsal 4SW- / Lanson Series / Clipsal Powerrange 6-25kA / Moeller FAZ series / CutlerHammer WMM series / HPM H3, H6 series HPM 6XELrdd - AND SIMILAR SHAPED CB's	SPLD-M1
Merlin Gerin MULTI-9 series / HPM H- series / LG Miniature series / Schneider C60N / Schneider Acti 9	SPLD-M2
Clipsal TERRACOTTA 4CB + EL + 4EBE series, WeberAS 168 series, Wilco MCB3, MCB4, MCB6 & RCD series	SPLD-M1
Siemens 5SN & 5TE series / Weber AS153 / HPM Main SW. DIN series	SALD-M-4
Siemens 5SX2- series	SALD-M-5
Terasaki (OLDER STYLE only) Single Pole DRCB DinSafe, Allan Bradley 1492.SP series	SPLD-M2
Terasaki DIN-T 10H series 10kA 80-125A - similar with large toggle	SPLD-M1
Terasaki SAFE-T CB & EL - TZ50S/- series & TH-5SG, NOTE: Single pole SRCB see ALA-T-2	SPLD-2
Terasaki Single Pole SAFE-T SRCB combi RCD/CB	SPLD-2
Terasaki XS125/250, XH125/250 TEMBREAK 2 up to 250A LG-MEC GBH / GBN 100A / Merlin Gerin NS 100/250	SPLD-1
Heinemann CF C/B series & SF / SM EL	SPLD-2
Heinemann (Heinelec) CF1-EL & CF1-ELA combi RCD/CB, Mitsubishi BHA 6kA series, General Electric Q-Line, TQL, TQB, TQC, THQL & others	SPLD-2
Heinemann Protector E/L Type SL (Older Type)	SPLD-2
Heinemann GH series CB's	SALD-H-4
Heinemann SF1 EL MCCB	SALD-H-7
Heinemann CP-1 CB's (Older Types)	SPLD-1
Quicklag Q series CB's (Also N-28 etc..)	SPLD-2
Quicklag RCD-CB's E/L -ELQ series	SPLD-1
Westinghouse E-Frame series (Older Type)	SPLD-1
Westinghouse HFB/FB Frame series, Cutler-Hammer FW, FI / LG MEC GBH 250A Mitsubishi NF100/NF250	SPLD-1
UNIVERSAL TYPES for Medium/Larger/Twist Handle and other Types or where unsure.	
Ampere sizes are a guide only - Physical size of CB to match	
MCB's - pack includes 2 arms use the best fitting one	SPLD-MCB
MCCB's - pack includes 3 arms use the best fitting one	SPLD-LCB
Up to 250Amp. Toggle CB (approx) can be used on many of above	SPLD-1
Up to 600Amp. Toggle CB (approx) Arm length 175mm	SALD-B-2
Up to 1600Amp. Toggle CB (approx) Arm length 228mm	SALD-B-3
Rotary Handle Type Switch - medium size up to approx 400A	SALD-R-2
Larger Twist Handle Switches - Blocking Device	SALD-R-3
Smaller Twist Handle Switches	SALD-R-4
Single Part Toggle Blocking Device	SALD-R-5
HAGER H250 Series	SALD-C-1
HAGER HN302 Series	SALD-C-2



NON-CONDUCTIVE Lockout devices for Circuit Breakers Permanently fixed to Distribution Boards

- Non-conductive
- Permanently mounted to switch board
- Available in 3, 6 and 12 pole
- Join together for all combinations
- Easy to 'snap in' lockout arms where needed
- 9mm between snap points to fit 9mm, 18mm and 27mm pole width circuit breakers
- Moulded from tough re-inforced nylon
- 2 Styles of lockout arms to lock out most types of miniature circuit breakers

Part No.	Description
MPM-3	3 pole Mounting Set Standard
MPM-6	6 pole Mounting Set Standard
MPM-12	12 pole Mounting Set Standard
PLA-M-1	Lockout arm for mid and top toggle Circuit Breakers
PLA-M-2	Lockout arm for bottom toggle Circuit Breakers

A set consists of Lockout Arms and MPM Mounting Sets as on right. Arms ordered separately

MPM-12 SHOWN - AVAILABLE AS 3, 6 & 12 POLE



LOCKOUT ARM'S PLA-M-1 & PLA-M-2



MPM-12 SHOWN - AVAILABLE AS 3, 6 & 12 POLE




SNAP-IN JOINING FOR EASY COMBINATIONS



- MOUNTING SETS AND LOCKOUT ARMS PURCHASED SEPARATELY

Part No.	Description
UMPP-6	6 pole Mounting Set modified for Plastic DB
UMPP-8	8 pole Mounting Set modified for Plastic DB
UMPP-9	9 pole Mounting Set modified for Plastic DB
UMPP-10	10 pole Mounting Set modified for Plastic DB
UMPP-12	12 pole Mounting Set modified for Plastic DB

MODIFIED VERSIONS FOR PLASTIC DISTRIBUTION BOARDS - Code: UMPP-6, 8, 9, 10 OR 12



## Lockout Devices for Fuse Holder

### APPLICATION:

The **FUSELOCK System** is a unique system of Lockout Devices for Fuse Holders, that can, when properly installed and used, help to prevent un-intended insertion of fuse links in fuse holders. The system consist of basically two parts:

A **LOCKOUT BASE** to be permanently attached to the fuse holder. There are four basic different types - see below for details - and a **LOCKOUT ARM** to be inserted when locking out is required.

The parts are manufactured from rigid and expanded PVC Plastic. Padlock holes size are 8 mm.

The **FUSELOCK System** basically consist of two parts:



**FUSELOCK System** is available for a wide range of fuse holders.



#### Lockout Base

Four different basic shapes/types available. To be permanently attached to the fuse holder.

#### Lockout Arm

To be inserted when locking out is required. The 2 sizes available locks most types/sizes fuse holders.


## Lockout Bases - available in 4 different shapes

Part No.	Description
<b>Type 'A'</b>	For frontwired type fuse holders. For fastening on the fuse holder with the attached VHB tape. Can be installed while fuse holder is in service.
<b>Type 'B'</b>	For backwired type fuse holders. For fastening on the fuse holder with the attached VHB tape. Can be installed while fuse holder is in service.
<b>Type 'C'</b>	For frontwired type fuse holders. For fastening behind the fuse holder. Wiring must be disconnected during installation.
<b>Type 'D'</b>	For front or back wired type fuse holder. For fastening on fuse holders mounting plate with screws or rivets.
<b>LFA-1</b>	For most fuse holders size 20 - 63 Amp
<b>LFA-2</b>	For most fuse holder size 100 - 400 Amp
<b>LSB-1</b>	Storage Brackets for LFA-1 & 2 when not in use. Can be mounted inside panels. Will hold either 7 LFA-1 or 3 LFA-2.

#### Type 'A'



#### Type 'B'



#### Type 'C'



#### Type 'D'



#### LFA-2



#### LFA-1



#### LSB-1







Fuse Holder Brand & Type	'A' Cat. No.	'B' Cat. No.	'C' Cat. No.	'D' Cat. No.	Use Arm Type
REDSPOT RS20 front connection	LRS20-A	N/A	LRS20-C	LRS20-D	LFA-1
REDSPOT RS20 rear connection	LRS20-A	LRS20-B	N/A	LRS20-D	LFA-1
REDSPOT RS32 front connection	LRS32-A	N/A	LRS32-C	LRS32-D	LFA-1
REDSPOT RS32 rear connection	LRS32-A	LRS32-B	N/A	LRS32-D	LFA-1
REDSPOT RS63 front connection	LRS63-A	N/A	LRS63-C	LRS63-D	LFA-1
REDSPOT RS63 rear connection	LRS63-A	LRS63-B	N/A	LRS63-D	LFA-1
REDSPOT RS100 front connection	LRS100-A	N/A	LRS100-C	LRS100-D	LFA-2
REDSPOT RS100 rear connection	LRS100-A	LRS100-B	N/A	LRS100-D	LFA-2
REDSPOT RS200 front connection	LRS200-A	N/A	LRS200-C	LRS200-D	LFA-2
REDSPOT RS200 rear connection	LRS200-A	LRS200-B	N/A	LRS200-D	LFA-2
REDSPOT RS400 front connection	LRS400-A	N/A	LRS400-C	LRS400-D	LFA-2
REDSPOT RS400 rear connection	LRS400-A	LRS400-B	N/A	LRS400-D	LFA-2
SAFECLIP SC20 & SC32 front connection	LSC20-A	N/A	N/A	N/A	LFA-1
SAFECLIP SC20 & SC32 rear connection	LSC20-A	LSC20-B	N/A	N/A	LFA-1
PDL Federal FC20 & FC32 front connection	LFC20-A	N/A	LFC20-C	LFB20-D	LFA-1
PDL Federal FC20 & FC32 rear connection	LFC20-A	LFB20-B	N/A	LFB20-D	LFA-1
PDL Federal FB20 & FBS32 front connection	LFB20-A	N/A	LFB20-C	LFB20-D	LFA-1
PDL Federal FB20 & DBS32 rear connection	LFB20-A	LFB20-B	N/A	LFB20-D	LFA-1
PDL Federal FB32 front connection	LFB32-A	N/A	LFB32-C	LFB32-D	LFA-1
PDL Federal FB32 rear connection	LFB32-A	LFB32-B	N/A	LFB32-D	LFA-1
PDL Federal FB63 front connection	LFB63-A	N/A	LFB63-C	LFB63-D	LFA-1
PDL Federal FB63 rear connection	LFB63-A	LFB63-B	N/A	LFB63-D	LFA-1
PDL Federal FB100 front connection	LFB100-A	N/A	LFB100-C	LFB100-D	LFA-2
PDL Federal FB100 rear connection	LFB100-A	LFB100-B	N/A	LFB100-D	LFA-2
PDL Federal FB200 front connection	LFB200-A	N/A	LFB200-C	LFB200-D	LFA-2
PDL Federal FB200 rear connection	LFB200-A	LFB200-B	N/A	LFB200-D	LFA-2
'New Zealand Type' Fuse Holders					
PDL New 720 Series - Nilclip/NC32 front conn	LNC32-A	N/A	LNC32-C	LRS20-D	LFA-1
PDL New 720 Series - Nilclip/NC32 rear conn	LNC32-A	LNC32-B	N/A	LRS20-D	LFA-1
PDL Old 720 Series - 32Amp front connection	LFC20-A	N/A	LFC20-C	LFB20-D	LFA-1
PDL Old 720 Series - 32Amp rear connection	LFC20-A	LFB20-B	N/A	LFB20-D	LFA-1
PDL 750 Series - 63Amp front connection	LFB63-A	N/A	LFB63-C	LFB63-D	LFA-1
PDL 750 Series - 63Amp rear connection	LFB63-A	LFB63-B	N/A	LFB63-D	LFA-1
PDL 760 Series - 100Amp front connection	LFB100-A	N/A	LFB100-C	LFB100-D	LFA-2
PDL 760 Series - 100Amp rear connection	LFB100-A	LFB100-B	N/A	LFB100-D	LFA-2
PDL 770 Series - 200Amp front connection	LFB200-A	N/A	LFB200-C	LFB200-D	LFA-2
PDL 770 Series - 200Amp rear connection	LFB200-A	LFB200-B	N/A	LFB200-D	LFA-2
N/A - Not Applicable / Not Available					




## Stand Off Brackets for DIN & G Rail


- Supports for Terminal Covers and Lockout Covers
- 2 x M4 threaded hole - 65 mm centre / centre
- Made from Aluminium and Plastics
- Dimensions: 80 mm wide - 2 x M4 Mounting Holes
- SOB-2 is adjustable on an angle also

Part No.	Description
<b>SOB-1</b>	Stand-off Bracket for G / DIN Rail Height Adjustable 47-67mm
<b>SOB-2</b>	Stand-off Bracket for direct mounting Height Adjustable 42-72mm
<b>SOB-CB</b>	Stand-off Bracket for DIN Rail NOT Adjustable - 53mm above rail

## SOB-1, SOB-2 & SOB-CB



SOB-1



SOB-2


SOB-CB

## Terminal Covers

- Clear PVC Cover
- Dimensions: 105 mm wide x 300 mm long
- or 105 mm wide x 600 mm long
- No Mounting Holes - **SOB- Brackets are NOT included**
- Can be easily cut to length

Part No.	Description
<b>TC105-3</b>	Terminal Cover Clear PVC: 105mm wide x 300mm long
<b>TC105-6</b>	Terminal Cover Clear PVC: 105mm wide x 600mm long

## TC105-3 & TC105-6



SOB- End brackets NOT Included

## U - Shaped clear PVC Covers for Equipment and Terminals

- Clear PVC Cover
- Dimensions: various
- or 105 mm wide x 600 mm long
- No Mounting Holes - **SOB- Brackets are NOT included**
- Use as cover for various equipment, electrical or other

Part No.	Description
<b>TCU155-200</b>	Clear U-shape PVC Cover: W 150mm x H 50mm x L 200mm
<b>TCU155-300</b>	Clear U-shape PVC Cover: W 150mm x H 50mm x L 300mm
<b>TCU155-400</b>	Clear U-shape PVC Cover: W 150mm x H 50mm x L 400mm
<b>TCU205-400</b>	Clear U-shape PVC Cover: W 200mm x H 50mm x L 400mm
<b>TCU305-400</b>	Clear U-shape PVC Cover: W 300mm x H 50mm x L 400mm

## TCU -




SOB- End brackets NOT Included

## L - Shaped PVC Covers for use with Stand Off Brackets

- White PVC Plastic cover
- Sold in sets of 2
- No Mounting Holes - **SOB- Brackets are NOT included**
- Dimensions: 38mm x 25mm x 3mm thick

Part No.	Description
<b>LC3825-2</b>	Covers - set of 2 - 200mm long - Single Pack
<b>LC3825-4</b>	Covers - set of 2 - 400mm long - Single Pack
<b>LC3825-6</b>	Covers - set of 2 - 600mm long - Single Pack
<b>LC3825-12</b>	Covers - set of 2 - 1200mm long - Single Pack

## LC3825-



SOB- End brackets NOT Included





Covers for Circuit Breakers & Other Modules 18/45 Equipment

- Plastic Covers CBC- Types clamps onto DIN-Rail
- Cutouts to suit Standard DIN Rail modules 18 x 45mm
- Made from Grey PVC plastics
- Available in 2, 3 or 4 pole sizes - open at top and bottom
- Can also be supplied or fitted with Cirlock System Lockouts
- Height from DIN Rail to underside Cover: 52mm

Part No.	Description
CBC-2	Cover for 2 pole CB or 2 x 1 pole - size H 120mm x W 62mm
CBC-3	Cover for 3 pole CB or 3 x 1 pole - size H 120mm x W 80mm
CBC-4	Cover for 4 pole CB or 4 x 1 pole - size H 120mm x W 98mm
	Can be supplied with Cirlock Lockout: Please enquire

CBC-2, CBC-3 & CBC-4





Covers for Circuit Breakers & Other Modules 18/45 Equipment

- Plastic Covers CBCL- Types clamps onto DIN-Rail - lengths up to 72 poles
- Available in White or Clear PVC plastic
- Will suit all Standard DIN Rail modules 18 x 45mm
- Ordering Codes: CBCL-Number of poles - White or Clear
- Can be supplied or fitted with Cirlock System Lockouts

Part No.	Description
CBCL-X-White	White cover for CB's - X = insert number of C/B poles (Max 72)
CBCL-X-Clear	Clear cover for CB's - X = insert number of C/B poles (Max 72)
	Supplied with or without Cirlock System Lockouts: Please enquire


CBCL-



Make it simple for all employees to identify HOW and WHERE to isolate ALL energy sources for machinery in the workshop, factory or on site.

## STEP 1

Place ID label on all Energy Isolation Points - ie Valves or switches that supply energy/power to the machinery.




## STEP 2

Place the smaller matching label on Machine / Equipment



## How to use:



Place this large label on Energy Isolation Point





Place these smaller labels on Machine / Equipment

Place this large label on Energy Isolation Point

Place these smaller labels on Machine / Equipment

All Markers come with 4 relations markers in 2 different sizes. Large Marker is placed on or near Energy Lockout Point, i.e. Electrical Switches or Pressure Valves.

**Smaller machines:** Small Relation Markers are placed on machine or equipment for easy recognition of Lockout Points.  
**Larger equipment:** On large equipment or machines, it is recommended to use Energy Information Lockout Label Chart in either A4 or A6 format. Relation Markers are placed on Lockout label chart in relevant positions. Additional information can also be added.

ENERGY LOCKOUT INFORMATION			
EQUIPMENT: _____		EQUIPMENT NO.: M27	
LOCKOUT / TAGOUT POINTS FOR ENERGY SUPPLY TO THIS EQUIPMENT ARE MARKED AS BELOW:			
LOCKOUT APPLICATION PROCESS			
1. IDENTIFY ALL APPLICABLE ENERGY SOURCES. 2. VERIFY ALL ENERGY SOURCES HAVE BEEN ISOLATED AND SECURED. 3. APPLY LOCKOUT DEVICES TO EACH ENERGY SOURCE. 4. VERIFY ALL LOCKOUT DEVICES ARE PROPERLY APPLIED AND SECURED.			
ENERGY SOURCE	ISOLATE AT	LOCKOUT INFORMATION	
ELECTRICITY #1		SWITCHROOM 1 C/B 17	
COMPRESSED AIR		BACK OF MACHINE	
HYDRAULIC		LEFT SIDE OF MACHINE	
WATER		ON WALL BEHIND	
LOCKOUT REMOVAL PROCESS			
1. VERIFY ALL LOCKOUT DEVICES ARE PROPERLY APPLIED AND SECURED. 2. VERIFY ALL LOCKOUT DEVICES ARE PROPERLY APPLIED AND SECURED. 3. VERIFY ALL LOCKOUT DEVICES ARE PROPERLY APPLIED AND SECURED. 4. VERIFY ALL LOCKOUT DEVICES ARE PROPERLY APPLIED AND SECURED.			

Information can be added with printed out labels or written directly with pen or marker. Un-used energy names can be blanked out with supplied extra labels. Apply clear protective over laminate.

### Lockout Label Chart

Place on or near Equipment. Attach Energy Source labels and other information as needed.

Available in A4 size Poster or as Adhesive Label (100x150mm)



Contact us for more information or to purchase your Label Kit - [sales@cirlock.com.au](mailto:sales@cirlock.com.au) or Ph 1300 889 738

# 50 TERMS AND CONDITIONS OF SALE

---

1. General – These Conditions of Sale apply to the sale of items and equipment included in the current issues of the Cirlock Pty Ltd (the Company) price lists, or where a quotation is made, they shall form part of that quotation. No variation or cancellation of any of these Conditions of Sale shall be binding on the Company, unless assented to by the Company in writing.
2. Acceptance – A quotation is not to be construed as an offer or obligation to sell, and the Company reserves the right to accept or reject any orders received. The buyer shall be deemed to have accepted the goods to be of the description, quality and quantity ordered, unless particulars of a claim to the contrary are notified to the Company in writing within 14 days after delivery.
3. Prices & Delivery – All prices are in Australian Dollars unless otherwise stated, are subject to change without notice, and all orders are accepted by the Company on the condition that they will be invoiced at the prices ruling at the date of dispatch. All prices are strictly net unless otherwise stated. Goods are sold on a Free on Transport (FOT) basis. Where the purchaser requires freight to be prepaid, all expenses will be to their account at cost. All prices shown in published catalogues or price lists are recommended selling prices only, and there is no obligation on the part of any reseller to maintain the same prices. The quotation includes only such goods as specified in it. Goods offered ex stock are subject to prior sale and delivery time quoted is without engagement.
4. GST – Goods and Services tax (GST), if applicable, shall be to the Buyers account. When added, GST is based on the rate and method of assessment ruling at the date of invoice.
5. Terms of payment – Payment for all goods purchased shall be net and be made within the timeframe stated on the Tax Invoice relevant to the purchase. Under no circumstances shall payments be made later than 30 days from the end of the month of the date on the Tax Invoice. Accounts may be placed on stop supply without notice if payment is not received by the due date. The Company reserves the right to charge interest on any overdue account. Payment for any Goods or Service must be received in full, before goods are dispatched, inside or outside Australia, if the buyer is not a registered Company in Australia. The Company reserves the right to not dispatch any goods before any outstanding payment has been received in full, from any person or company.
6. Return of Goods & Credits – Standard products as listed in the published price lists of the Company, may be returned for credit, provided the goods are returned within 14 days of delivery in an unspoiled, undamaged and re-saleable condition, in their original packing, free to the Company's warehouse. Goods will not be accepted for return after 14 days from date of delivery unless by prior arrangement, and with the payment of a restocking fee of 15% of original net invoice value.
7. Indemnity – The purchaser must comply with all instructions of the Company in relation to the fitting, installation and use of the goods. Notwithstanding such compliance. The purchaser must keep the Company indemnified against all claims expenses and liabilities of whatever nature including claims for death, personal injury, damage to property, and consequential loss, including loss of profit, which may be made against the Company, unless the same is directly and solely attributable to any breach of contract or by negligence of the Company or its authorized employees.
8. Property and Risk – All risk in the goods passes to the buyer upon delivery, but property in the goods remains with the Company until all debts owing to the Company by the buyer (including payment for the goods) has been made in full.
9. Limitations of Conditions – These terms and conditions, and the parties' rights and obligations under them, are governed by, construed and enforced in all respects by the laws of Queensland.
10. Warranties – Subject to any written warranty given by Cirlock, and subject to any statutory warranties express or implied which by law cannot be executed, all warranties, conditions and representations, express or implied are expressly negated. In the case of Goods, where a warranty or condition is implied by law, Cirlock's liability, to the extent it can be limited, is limited to one of the following at the election of Cirlock:
  - (i) Replacement of the Goods or supply of equivalent Goods
  - (ii) Repair of Goods
  - (iii) Payment of the cost of replacing the Goods or acquiring equivalent Goods
  - (iv) Payment of the cost of having the Goods repaired.

**DISCLAIMER: Not all products designed by Cirlock. Not all products are Made in Australia, please see catalogue pages for individual product information.**